



Round wall luminaire for outdoor installation. Available both as an upward/downward light and as a downward light. The luminaire has an interchangeable GU10 LED light source (included) and is dimmable with a trailing-edge dimmer. Simple installation with a wall bracket and connector for the lamp, two cable inputs and the option of both visible and concealed cabling. Can be mounted on a corner with a corner bracket (sold separately).

Produkt- und Umgebungsbilder



Artikel	Schutzklasse	Controller	Montage/Anschluss	Größe
 623704 Metro Deco Graphit 350lm 3000K Ra>80 Phasenabschnitt 6.2W LED 56 lm/W SDCM:4 L70/B50>25.000 Beam: 35°, Direkt, PC klar	Klasse II IP65 IK08	Phasenabschnitt	Anbau, Outdoor Anschlussbox	W90 x H125 x D147
 623705 Metro Deco 2x6,2W Graphit 700lm 3000K Ra>80 Phasenabschnitt 12.4W LED 56 lm/W SDCM:4 L70/B50>25.000 Beam: 35°/35°, Direkt, PC klar	Klasse II IP65 IK08	Phasenabschnitt	Anbau, Outdoor Anschlussbox	W90 x H225 x D147
Zubehör				
 614207 Echo Schwarz Eckhalterung				W80 x H101 x D50
 623207 Echo Graphit Eckhalterung				W80 x H101 x D50
 611207 Echo Weiss Eckhalterung				W80 x H101 x D50