



Lineal 80 Surface

IP20

220-240V, 50/60Hz

<p>Surface kit</p>	<p>Start kit</p>	<table border="1"> <thead> <tr> <th colspan="4">Luminaire per fuse</th> </tr> <tr> <th></th> <th>840mm</th> <th>1120mm</th> <th>1400mm</th> </tr> </thead> <tbody> <tr> <td>B 10 A</td> <td>32</td> <td>32</td> <td>32</td> </tr> <tr> <td>B 16 A</td> <td>50</td> <td>50</td> <td>50</td> </tr> <tr> <td>C 10 A</td> <td>52</td> <td>52</td> <td>52</td> </tr> <tr> <td>C 16 A</td> <td>85</td> <td>85</td> <td>85</td> </tr> </tbody> </table>	Luminaire per fuse					840mm	1120mm	1400mm	B 10 A	32	32	32	B 16 A	50	50	50	C 10 A	52	52	52	C 16 A	85	85	85
Luminaire per fuse																										
	840mm	1120mm	1400mm																							
B 10 A	32	32	32																							
B 16 A	50	50	50																							
C 10 A	52	52	52																							
C 16 A	85	85	85																							

Profiles

Rev: 09.10.2025

NORWAY
SG Armaturen AS
 Skytterheia 25
 N-4790 Lillesand

Tel: +47 37 50 03 00
 firmapost@sg-as.no
 www.sg-as.no

SWEDEN
SG Armaturen AB
 Tel: +46 31 81 71 10
 info@sg-ab.se
 www.sg-ab.se

DENMARK
SG Armaturen A/S
 Tel: +45 70 70 72 13
 info@sg-as.dk
 www.sg-as.dk

GERMANY
SG Leuchten GmbH
 Tel: +49 40 23 99 44 59
 info@sg-leuchten.de
 www.sg-leuchten.de

FINLAND
SG Armaturen Oy
 Tel: +358 02 07 30 39 60
 info@sg-oy.fi
 www.sg-oy.fi

FRANCE
SG Lighting SA/NV
 Tel: +33(0) 4 94 93 00 00
 info.france@sglighting.fr
 www.sglighting.net


BENELUX
SG Lighting SA/NV
 Tel: +32(0) 15 20 72 71
 info.benelux@sglighting.net
 www.sglighting.net

SWITZERLAND
SG Leuchten SA
 Tel: +41 44 868 20 00
 info@sg-leuchten.ch
 sg-leuchten.ch

INTERNATIONAL
SG Lighting Co Ltd.
 Tel: +86 769 88 49 20 88
 cindy@sgdgc.com
 www.sg-as.com


Start

1




	840mm	1120mm	1400mm
A1	min 350mm	min 500mm	min 600mm
A2	min 125mm	min 125mm	min 125mm


2



3





4




Default 3000K

5




Dali		Push	
Blue	Neutral	Blue	Neutral
Y/G	Earth	Y/G	Earth
Brown	Lus (live unswitch)	Brown	Lus (live unswitch)
Gray	Dali	Gray	Neutral
Black	Dali	Black	Ls (live switch)

6




Extend

1




2




End


1



2



2: Replaceable (LED only)
light source by a professional



3: Replaceable control gear
by a professional



NO: Kan kun installeres og vedlikeholdes av en registrert installasjonsvirksomhet.

DK: Må kun installeres og vedligeholdes af uddannet elektriker.

SE: Skall installeras och underhållas av behörig elektriker.

EN: Only to be installed and maintained by an authorized electrician.

FR: Doit être installé et maintenu par un électricien qualifié.

NL: Mag alleen geïnstalleerd en onderhouden worden door een bevoegde elektricien.

DE: Dieses Produkt darf nur durch autorisiertes Personal (z.B. Elektro-Installateur) angeschlossen, in Betrieb genommen und gewartet werden.

FI: Asentaa ja huoltaa saa vain valtuutettu sähköasentaja

NO: Skru av strømmen før montering.

DK: Sluk for strømmen inden montering.

SE: Stäng av strømmen innan montering.

EN: Turn off power before installing.

FR: Couper le courant avant l'installation.

NL: Stroom uitschakelen voor u het toestel installeert.

DE: Vor Installationsarbeiten den Strom abschalten.

FI: Sammuta virta ennen kytkemistä