



CE – Declaration of Conformity

Document: CE-UKCA250912A_Sense IP65
Product Inspection: PI250911A
Risk Assessment: RA250910A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Sense IP65

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i>	<i>Directive 2014 / 35 / EU</i>	<i>Directive 2009 / 125 / EF</i>
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	(Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) <small>* As applicable and including amendments</small>

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2022	(Luminaires for emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)

CE declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 12/09-2025
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person

Martin Ettrup
Signature of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA250912A_Sense IP65
Product Inspection: PI250911A
Risk Assessment: RA250910A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Sense IP65

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2022	(Luminaires for emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)


UKCA declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 12/09-2025
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person


Signature of authorized person



Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
5703821181655	Sense IP65 595x595 White 5060lm	4000K Ra>80 DALI Emergency 3H	130253
5703821181662	Sense IP65 599x599 White 5060lm	4000K Ra>80 DALI Emergency 3H	130253
5703821181426	Sense IP65 595x595 White 5110lm	4000K Ra>90 DALI Emergency 3H	130253
5703821181204	Sense IP65 595x595 White 5160lm	4000K Ra>90 DALI-2 / Push Dim	130253
5703821181617	Sense IP65 595x595 White 5060lm	4000K Ra>80 DALI-2 / Push Dim	130253
5703821181624	Sense IP65 599x599 White 5050lm	4000K Ra>80 DALI-2 / Push Dim	130253
5703821181631	Sense IP65 595x595 White 4840lm	3000K Ra>90 DALI Emergency 3H	130253
5703821181440	Sense IP65 599x599 White 5110lm	4000K Ra>90 DALI Emergency 3H	130253
5703821181600	Sense IP65 595x595 White 4830lm	3000K Ra>80 DALI-2 / Push Dim	130253
5703821181433	Sense IP65 599x599 White 5160lm	4000K Ra>90 DALI-2 / Push Dim	130253
5703821181594	Sense IP65 595x595 White 4840lm	3000K Ra>90 DALI-2 / Push Dim	130253
5703821181648	Sense IP65 595x595 White 4830lm	3000K Ra>80 DALI Emergency 3H	130253
9341001391	Sense IP65 595x1195 White 33W	4000K/2700K Ra>90 DALI	130253