




Facet II TW



Facet II is a slim, minimalistic luminaire with white powdercoating. With the direct/indirect light and glare-free optics in PMMA it is perfect for classrooms or open offices where light comfort is very important. The wall bracket (accessory) makes it a perfect choice for blackboard lighting. Plug-and-play solution for quick installation. Tunable White from 2700 Kelvin to 6500 Kelvin white light, controlled by TW LEDDim or Dali Type 8.

Galerie de produits et d'environnements



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 8246091817 Facet II TW 1200 Blanc 4530lm 2700-6500K Ra>80 TW DALI Type 8 39W LED 116 lm/W SDCM:3 L80/B10>100,000, L94>50,000 Directe/Indirecte 65/35%, Lentille C, conique à prismes	Classe I IP20	TW DALI Type 8	Suspendu, Indoor Kit de câble avec boucle M4 2x2 m Cable 5x0,75mm² 2,5m white	L1196 x W112 x H80
 8246094542 Facet II TW 1200 Blanc 4674lm (@6500K) 2700-6500K Ra>80 TW LEDDim 38W LED 123 lm/W SDCM:3 L80/B10>100,000, L94>50,000 Directe/Indirecte 65/35%, Lentille C, conique à prismes	Classe I IP20	TW LEDDim	Suspendu, Indoor Kit de fil 2x2 m Cable 3x0,75mm² 2,5m w/ Schuko white	L1196 x W112 x H80
Accessoires				
 212255 T-profil Blanc Rail de suspension 600mm				L596 x W35 x H17
 8249044007 Facet II Blanc Support mural kit				L490 x W70 x H70