







Attractive, square wall luminaire that can be installed both indoors and outdoors. Attractive light both up and down or only down. Made of die-cast powder-coated aluminium. Glass front. Smart wall fittings with connector for the lamp, two inputs/outputs for wires, option of both visible and concealed cabling, and loopable terminal block.

Galerie de produits et d'environnements



Article		Protection	Convertisseurs	Montage/Connexion	Dimensions
	624687	Classe II	Coupure de phase	Surface, Outdoor	W90 x H120 x D147
	Echo Noir 360lm 3000K Ra>80	IP54		Bornier sans vis	
	Coupure de phase	IK07			
	6.2W LED				
	58 lm/W SDCM:4 L70/B50>25,000 Beam: 35°, Directe, Verre transparent				
	624688	Classe II	Coupure de phase	Surface, Outdoor	W90 x H215 x D147
	Echo 2x6,2W Noir 720lm 3000K Ra>80 Coupure de phase	IP54		Bornier sans vis	
	12.4W LED	IK07			
	58 lm/W SDCM:4 L70/B50>25,000 Beam: 35°/35°, Directe, Verre transparent				
	624689	Classe I	Coupure de phase	Surface, Outdoor	L90 x W90 x H120
	Echo Noir Plafond 360lm 3000K Ra>80 Coupure de phase	IP54		Bornier sans vis	
	6.2W LED	IK07			
	58 lm/W SDCM:4 L70/B50>25,000 Beam: 35°, Directe, Verre transparent				
	633687	Classe II	Coupure de phase	Surface, Outdoor	W90 x H120 x D147
	Echo Graphite 360lm 3000K Ra>80 Coupure de phase	IP54		Bornier sans vis	
	6.2W LED	IK07			
	58 lm/W SDCM:4 L70/B50>25,000 Beam: 35°, Directe, Verre transparent				
	633688	Classe II	Coupure de phase	Surface, Outdoor	W90 x H215 x D147
	Echo 2x6,2W Graphite 720lm 3000K Ra>80 Coupure de phase	IP54		Bornier sans vis	
	12.4W LED	IK07			
	58 lm/W SDCM:4 L70/B50>25,000 Beam: 35°/35°, Directe, Verre transparent				
	633689	Classe I	Coupure de phase	Surface, Outdoor	L90 x W90 x H120
	Echo Graphite Plafond 360lm 3000K Ra>80 Coupure de phase	IP54		Bornier sans vis	
	6.2W LED	IK07			
	58 lm/W SDCM:4				

Article	L70/B50>25,000	Protection	Convertisseurs	Montage/Connexion	Dimensions
	Beam: 25°, Directe, Verre transparent 621687 Echo Blanc 360lm 3000K Ra>80 Coupure de phase 6.2W LED 58 lm/W SDCM:4 L70/B50>25,000 Beam: 35°, Directe, Verre transparent	Classe II IP54 IK07	Coupure de phase	Surface, Outdoor Bornier sans vis	W90 x H120 x D147
		Classe II IP54 IK07	Coupure de phase	Surface, Outdoor Bornier sans vis	W90 x H215 x D147
	621689 Echo Blanc Plafond 360lm 3000K Ra>80 Coupure de phase 6.2W LED 58 lm/W SDCM:4 L70/B50>25,000 Beam: 35°, Directe, Verre transparent	Classe I IP54 IK07	Coupure de phase	Surface, Outdoor Bornier sans vis	L90 x W90 x H120
		Classe II IP54 IK07		Surface, Outdoor Bornier sans vis	W90 x H215 x D147
	614685 Echo 1x35W Noir Plafond 35W Halogen Beam: 35°, Directe, Verre transparent	Classe I IP54 IK07		Surface, Outdoor Bornier sans vis	L90 x W90 x H120
		Classe II IP54 IK07		Surface, Outdoor Bornier sans vis	W90 x H120 x D147
	623680 Echo 1x35W Graphite 35W Halogen Beam: 35°, Directe, Verre transparent	Classe II IP54 IK07		Surface, Outdoor Bornier sans vis	W90 x H120 x D147
	623682 Echo 2x35W Graphite 70W Halogen Beam: 35°/35°, Directe, Verre transparent	Classe II IP54 IK07		Surface, Outdoor Bornier sans vis	W90 x H215 x D147

Article		Protection	Convertisseurs	Montage/Connexion	Dimensions
	623685 Echo 1x35W Graphite Plafond 35W Halogen Beam: 35°, Directe, Verre transparent	Classe I IP54 IK07		Surface, Outdoor Bornier sans vis	L90 x W90 x H120
	611680 Echo 1x35W Blanc 35W Halogen Beam: 35°, Directe, Verre transparent	Classe II IP54 IK07		Surface, Outdoor Bornier sans vis	W90 x H120 x D147
	611682 Echo 2x35W Blanc 70W Halogen Beam: 35°/35°, Directe, Verre transparent	Classe II IP54 IK07		Surface, Outdoor Bornier sans vis	W90 x H215 x D147
	611685 Echo 1x35W Blanc Plafond 35W Halogen Beam: 35°, Directe, Verre transparent	Classe I IP54 IK07		Surface, Outdoor Bornier sans vis	L90 x W90 x H120
Accessoires					
	614207 Echo Noir Support d'angle				W80 x H101 x D50
	623207 Echo Graphite Support d'angle				W80 x H101 x D50
	611207 Echo Blanc Support d'angle				W80 x H101 x D50