

Sense Surface Connect




Sense Surface Connect is an elegant, slim, surface-mounted ceiling luminaire featuring an integrated SG Connect sensor for smart, energy-efficient lighting control. The sensor switches the light on when motion is detected and off after a defined time period, delivering significant energy savings. A built-in daylight sensor can be activated to maintain the desired light level at all times. Configuration is simple via the SG Connect Commissioning App, and the luminaire can be used as a standalone unit or as part of a larger system that can easily be expanded or reconfigured as needed. Sense Surface Connect is engineered for tool-free installation, with a quick connector between bracket and front held firmly in place by strong magnets. An innovative mechanism lets you choose a flush front for concealed cable routing or a slightly floating front for surface-mounted cabling.

Sense Surface Connect



Galerie de produits et d'environnements





Pour les dimensions des dessins, veuillez consulter les codes de chaque article à la page suivante

Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 212353 Sense Surface Connect 600x600 Blanc 3640lm 3000K Ra>80 Connect 28W LED 130 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Directe, Opalprism	Classe II IP20	Connect	Surface, Indoor Bornier sans vis	L597 x W597 x H45
 212354 Sense Surface Connect 300x1200 Blanc 3790lm 3000K Ra>80 Connect 29W LED 131 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Directe, Opalprism	Classe II IP20	Connect	Surface, Indoor Bornier sans vis	L1202 x W302 x H45
 212355 Sense Surface Connect 600x600 Blanc 3870lm 4000K Ra>80 Connect 28W LED 138 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Directe, Opalprism	Classe II IP20	Connect	Surface, Indoor Bornier sans vis	L597 x W597 x H45
 212356 Sense Surface Connect 300x1200 Blanc 3980lm 4000K Ra>80 Connect 29W LED 137 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Directe, Opalprism	Classe II IP20	Connect	Surface, Indoor Bornier sans vis	L1202 x W302 x H45
Accessoires				
 212255 T-profil Blanc Rail de suspension 600mm				L596 x W35 x H17
 212234 Sense Surface/Disc 760 2m Kit suspension				L2000