


Inspire Connect



Inspire Connect is a slim and minimalist luminaire featuring an integrated SG Connect sensor for smart and energy-efficient lighting control. The sensor switches the light on when motion is detected and off after a defined time period, delivering significant energy savings. A built-in daylight sensor can be activated to maintain the desired light level at all times. Configuration is simple via the SG Connect Commissioning App, and the luminaire can be used as a standalone unit or as part of a larger system that can easily be expanded or reconfigured as needed. Inspire Connect combines direct, glare-free light using PMMA optics with indirect wide-beam illumination for effective task lighting over desks and in office environments. It is supplied with a 2.5-meter cable and adjustable wire suspension with fittings for ceiling and T-profile, and comes in powder-coated aluminum in matte black or white.

Galerie de produits et d'environnements





Pour les dimensions des dessins, veuillez consulter les codes de chaque article à la page suivante

Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 212477 Inspire Connect 1200 Noir prism 3510lm 3000K Ra>80 Connect 29W LED 121 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Directe/Indirecte 50/50%, Optique à prismes	Classe I IP20	Connect	Suspendu, Indoor Kit de fil 2x2 m Cable 3x0,75mm² 2,5m	L1241 x W38 x H70
 212476 Inspire Connect 1200 Blanc prism 4000lm 3000K Ra>80 Connect 29W LED 138 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Directe/Indirecte 50/50%, Optique à prismes	Classe I IP20	Connect	Suspendu, Indoor Kit de fil 2x2 m Cable 3x0,75mm² 2,5m	L1241 x W38 x H70
 212931 Inspire Connect 1200 Blanc prism 3580lm 3000K Ra>90 Connect 29W LED 123 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Directe/Indirecte 50/50%, Optique à prismes	Classe I IP20	Connect	Suspendu, Indoor Kit de fil 2x2 m Cable 3x0,75mm² 2,5m	L1241 x W38 x H70
 212479 Inspire Connect 1200 Noir prism 3620lm 4000K Ra>80 Connect 29W LED 125 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Directe/Indirecte 50/50%, Optique à prismes	Classe I IP20	Connect	Suspendu, Indoor Kit de fil 2x2 m Cable 3x0,75mm² 2,5m	L1241 x W38 x H70
 212478 Inspire Connect 1200 Blanc prism 4130lm 4000K Ra>80 Connect 29W LED 142 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Directe/Indirecte 50/50%, Optique à prismes	Classe I IP20	Connect	Suspendu, Indoor Kit de fil 2x2 m Cable 3x0,75mm² 2,5m	L1241 x W38 x H70
 212932 Inspire Connect 1200 Blanc prism 3860lm 4000K Ra>90 Connect 29W LED 133 lm/W SDCM:3	Classe I IP20	Connect	Suspendu, Indoor Kit de fil 2x2 m Cable 3x0,75mm² 2,5m	L1241 x W38 x H70



L80/B20>100,000, L90>50,000

Directe/Indirecte 50/50%, Optique à prismes
