

Sense Pro X




Sense Pro X is a highly energy-efficient LED panel with up to 180lm/W. Lens technology combined with an opalprism diffuser provides superbly even lighting and low glare (UGR

Sense Pro X



Galerie de produits et d'environnements



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 212660 Sense Pro X 600x600 Blanc Incl Alimentation 3980lm 3000K Ra>80 DALI-2 23W LED 173 lm/W SDCM:3 L90/B10>100,000, L96>50,000 Directe, Opalprism	Classe II SELV IP40/IP20 IK06	DALI-2	Encastré, Indoor Bornier sans vis	L597 x W597 x H29
 212661 Sense Pro X 600x600 Blanc Incl Alimentation 4120lm 4000K Ra>80 DALI-2 23W LED 179 lm/W SDCM:3 L90/B10>100,000, L96>50,000 Directe, Opalprism	Classe II SELV IP40/IP20 IK06	DALI-2	Encastré, Indoor Bornier sans vis	L597 x W597 x H29
Accessoires				
 8249045006 Sense 600x600 Blanc Plaque de plâtre/Troldtekt Encadrement encastré				L640 x W640 x H40
 8246094364 Boîtier d'éclairage de secours On-Off/Coupure de phase / EM Selvtest, Secours 3 heures				L270 x W75 x H35
 8246094500 Boîtier d'éclairage de secours Alim. DALI / EM DALI/Self test, Secours 3 heures				L270 x W75 x H35