

Rax Soft 150 Connect Wireless



A version of Rax Soft 150, which is combined with a wide range of SG Connect Driver Kit Wireless to provide the desired amount of light. The lighting control is easy to configure using the SG Connect Commissioning App, and the luminaire can be used with a wireless sensor or as part of a larger system, along with other SG Connect luminaires with integrated sensors, which can easily be enlarged or reconfigured as needed. The light is turned on and off after a defined period of time, contributing to energy saving. Rax Soft Connect is installed easily with springs that fit ceiling panels with a thickness of 1–50 mm.


Rax Soft 150 Connect Wireless



Galerie de produits et d'environnements



Article		Protection	Convertisseurs	Montage/Connexion	Dimensions
	212770 Rax Soft 150 Satin 3000K Ra>80 Connect Wireless LED SDCM:2 L90/B10>100,000 Beam: 68°, Directe, Réflecteur mat satiné	Classe II SELV IP44/IP20 IK08	Connect Wireless	Encastré, Indoor Quick connector	Ø166 x H83
	212771 Rax Soft 150 Satin 4000K Ra>80 Connect Wireless LED SDCM:2 L90/B10>100,000 Beam: 68°, Directe, Réflecteur mat satiné	Classe II SELV IP44/IP20 IK08	Connect Wireless	Encastré, Indoor Quick connector	Ø166 x H83
Alimentation					
	820503 Kit d'Alimentation Wireless 13W 300mA Connect 13W 100,000	Classe II IP20	Connect	Encastré, Indoor Linect 3 pôles / bornier sans vis	L157 x W45 x H30
	820504 Kit d'Alimentation Wireless 18W 500mA Connect 18W 100,000	Classe II IP20	Connect	Encastré, Indoor Linect 3 pôles / bornier sans vis	L157 x W45 x H30
	820506 Kit d'Alimentation Wireless 26W 700mA Connect 26W 100,000	Classe II IP20	Connect	Encastré, Indoor Linect 3 pôles / bornier sans vis	L157 x W45 x H30
Accessoires					
	212617 Rax 150 Noir Rehabring Ø155-200mm				Ø220 x H16
	212621 Rax 150 Noir Verre transparent IP44				Ø168 x H12

Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 212623 Rax 150 Noir Verre dépoli IP44				Ø168 x H12
 212620 Rax 150 Blanc Verre transparent IP44				Ø168 x H12
 212622 Rax 150 Blanc Verre dépoli IP44				Ø168 x H12
 8249044683 Rax 150 Blanc Rehabring Ø155-200mm				Ø220 x H16
 8249042216 Rax 150 Plaque de montage				L585 x W260 x H15