

Arena 600 DALI



Luminaire for general lighting for the ShopLine DALI three-phase track system. Can also be used with other track systems that fits Global DALI adapters. Stylish, slim fixture with lens technology that directs the light where it's needed. The driver is integrated into the track adapter and includes dip switches, facilitating adjustment of light output or reduced UGR.

Arena 600 DALI



Galerie de produits et d'environnements



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 607045 Arena 600 3-Allumages Noir Medium 3420lm 3000K Ra>90 DALI-2 26W LED 132 lm/W SDCM:3 L90/B10>100,000 Beam: 60°, Directe,	Classe II SELV IP20	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	L583 x W69 x H69
 607041 Arena 600 3-Allumages Blanc Medium 3690lm 3000K Ra>90 DALI-2 26W LED 142 lm/W SDCM:3 L90/B10>100,000 Beam: 60°, Directe,	Classe II SELV IP20	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	L583 x W69 x H69
 607047 Arena 600 3-Allumages Noir Medium 3800lm 4000K Ra>90 DALI-2 26W LED 146 lm/W SDCM:3 L90/B10>100,000 Beam: 60°, Directe,	Classe II SELV IP20	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	L583 x W69 x H69
 607043 Arena 600 3-Allumages Blanc Medium 4100lm 4000K Ra>90 DALI-2 26W LED 158 lm/W SDCM:3 L90/B10>100,000 Beam: 60°, Directe,	Classe II SELV IP20	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	L583 x W69 x H69