

CE – Declaration of Conformity

Document: CE-UKCA250127A_Prelude LED
 Product Inspection: PI250113A
 Risk Assessment: RA250110A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Prelude LED

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i>	<i>Directive 2014 / 35 / EU</i>	<i>Directive 2009 / 125 / EF</i>
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	(Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) * As applicable and including amendments

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 60570:2003	(Luminaires - Electrical supply track systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)

CE declaration date: 2025

Statement of Conformity


issued by SG Armaturen AS

Manufacturer

Lillesand, 27/01-2025
 Place and date of issue

Martin Ettrup

Approval Engineer
 Name of authorized person


 Signature of authorized person

UKCA – Declaration of Conformity

Document: CE-UKCA250127A_Prelude LED
 Product Inspection: PI250113A
 Risk Assessment: RA250110A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Prelude LED

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 60570:2003	(Luminaires - Electrical supply track systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS


Manufacturer

Lillesand, 27/01-2025
 Place and date of issue

Martin Ettrup

Approval Engineer

Name of authorized person


Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021981113452	Prelude White 1060lm	3000K Ra>90 Trailing edge dimming	701400
7021981113445	Prelude White w/ 2 x outlet 1000lm	2700K Ra>90 Trailing edge dimming	701400
7021981113490	Prelude White w/ 2 x outlet 1060lm	3000K Ra>90 Trailing edge dimming	701400
7021981113469	Prelude White w/ outlet 1060lm	3000K Ra>90 Trailing edge dimming	701400
7021981113438	Prelude Hvit m/ 2 x kontakt 1000lm	2700K Ra>90 Faseavsnitt	701400
7021981113407	Prelude Hvit 1000lm	2700K Ra>90 Faseavsnitt	701400
7021981113469	Prelude Hvit m/ kontakt 1070lm	3000K Ra>90 Faseavsnitt	701400
7021981973407	Prelude Børstet stål 900lm	2700K Ra>90 Faseavsnitt	701400
7021981113414	Prelude Hvit m/ kontakt 1000lm	2700K Ra>90 Faseavsnitt	701400
7021981973414	Prelude Børstet stål m/ kontakt 900lm	2700K Ra>90 Faseavsnitt	701400
7021981113537	Prelude Hvit	3000K	701400
7021981113520	Prelude Hvit	3000K Ra>80 Ikke dimbar	701400
7021981983246	Prelude Krom	2700K Ra>80 Ikke dimbar	701400
7021981113247	Prelude Hvit	2700K Ra>80 Ikke dimbar	701400
7021981973452	Prelude Børstet stål 960lm	3000K Ra>90 Faseavsnitt	701400
7021981973476	Prelude Børstet stål 960lm	3000K Ra>90	701400
7021981113421	Prelude Hvit m/ kontakt 1000lm	2700K Ra>90 Faseavsnitt	701400
7021981113476	Prelude Hvit m/ kontakt 1070lm	3000K Ra>90 Faseavsnitt	701400
7021981113483	Prelude Hvit m/ 2 x kontakt 1070lm	3000K Ra>90 Faseavsnitt	701400
7021981973469	Prelude Børstet stål m/ kontakt 960lm	3000K Ra>90 Faseavsnitt	701400