

CE – Declaration of Conformity

Document: CE-UKCA250814A_Facet
 Product Inspection: PI250813A
 Risk Assessment: RA231114A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Facet

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i>	<i>Directive 2014 / 35 / EU</i>	<i>Directive 2009 / 125 / EF</i>
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	(Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) * As applicable and including amendments

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires - General purpose)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)


CE declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 14/08-2025
 Place and date of issue

Martin Ettrup
Approval Engineer
 Name of authorized person


 Signature of authorized person

UKCA – Declaration of Conformity

Document: CE-UKCA250814A_Facet
 Product Inspection: PI250813A
 Risk Assessment: RA231114A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Facet

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires - General purpose)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)


UKCA declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 14/08-2025
 Place and date of issue

Martin Ettrup
Approval Engineer
 Name of authorized person


 Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
5703821166461	Facet White 3240lm	3000K Ra>80 DALI-2 / Push Dim	130257
5703821166102	Facet White 3240lm	3000K Ra>80 Dim 1x pull switch	130257
5703821166454	Facet White 3380lm	4000K Ra>80 On/Off	130257
5703821166096	Facet White 3240lm	3000K Ra>80 2x pull switch, on/off	130257
5703821166478	Facet White 3380lm	4000K Ra>80 DALI-2 / Push Dim	130257
5703821166119	Facet White 3240lm	3000K Ra>80 On/Off	130257
5703821169431	Facet White 5030lm	3000K Ra>80 Dim 1x pull switch sensor (up/down)	130257
5703821174640	Facet Black 5030lm	3000K Ra>80 Dim 1x pull switch sensor (up/down)	130257
5703821177092	Facet Black 3240lm	3000K Ra>80 Dim 1x pull switch	130257
5703821177108	Facet Black 5030lm	3000K Ra>80 Dim 1x pull switch	130257
5703821177115	Facet White 5030lm	3000K Ra>80 DALI-2 / Push Dim	130257
5703821177122	Facet White 5030lm	3000K Ra>80 On/Off	130257
5703821170253	Facet White 2050lm	4000K Ra>80 Emergency 3H	130257
5703821166515	Facet White 2050lm	4000K Ra>80 DALI-2 / Push Dim	130257
5703821166492	Facet White 2050lm	4000K Ra>80 On/Off	130257
5703821170345	Facet White 4890lm	4000K Ra>80 DALI-2 / Push Dim	130257
5703821178402	Facet White 3290lm	3000K DALI-2 / Push Dim	130257
5703821177856	Facet Black 5100lm	3000K DALI-2 / Push Dim	130257
5703821178211	Facet Black 5100lm	3000K DALI-2 / Push Dim	130257
5703821177917	Facet Black 5100lm	3000K DALI-2 / Push Dim	130257
5703821178174	Facet White 3290lm	3000K RA>90 CD-CLO	130257
5703821177825	Facet White 3290lm	3000K DALI-2 / Push Dim	130257
5703821177818	Facet White 3290lm	3000K DALI	130257
5703821178822	Facet Black 3290lm	4000K DALI	130257
5703821178419	Facet 5100lm	3000K DALI	130257
5703821181174	Facet White 5250lm	4000K Ra>80 Dim 1x pull switch	130257
5703821182164	Facet White 5250lm	4000K Ra>80 On/Off	130257
5703821181167	Facet White 3380lm	4000K Ra>80 Dim 1x pull switch	130257
5703821181181	Facet Black 5250lm	4000K Ra>80 Dim 1x pull switch	130257
5703821170338	Facet White 4890lm	4000K Ra>80 Emergency 3H	130257
5703821170314	Facet White 4890lm	4000K Ra>80 DALI Emergency 3H	130257
5703821182157	Facet White 5250lm	4000K Ra>80 DALI-2 / Push Dim	130257
5703821169424	Facet White 5250lm	4000K Ra>80 Dim (down) switch sensor (up/down)	130257