

Lineal Surface




Lineal Surface is a modular system solution for surface mounting, with a perfect, well thought-out design for continuous light in illuminated lines. The efficient lighting solution optimises visual comfort and light quality, and makes Lineal Surface ideal for many applications such as offices, corridors and foyers or as decorative lighting. For each continuous line, you need one or more straight lines and/or corners, a start kit and a front cover. Lineal Surface can be combined with Lineal Cubic Surface/Suspended, enabling creative lighting designs.

Lineal Surface



Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	8246094720	DALI-2 / Push Dim	Ophanging, Indoor 1x2m kabelkit met plafondbeugel 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L642 x W42 x H70 x D571
	Lineal Corner Zwart 1740lm 3000K			
	Ra>80 DALI-2 / Push Dim			
	17W LED			
	102 lm/W SDCM:3			
	L80/B10>100,000, L93/>50,000			
	8246095800	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L841 x W42 x H70
	Lineal surface 840 Zwart 1280lm			
	3000K Ra>80 DALI-2 / Push Dim			
	13W LED			
	98 lm/W SDCM:3			
	L80/B10>100,000, L93/>50,000			
	8246095826	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L1121 x W42 x H70
	Lineal surface 1120 Zwart 1740lm			
	3000K Ra>80 DALI-2 / Push Dim			
	17W LED			
	102 lm/W SDCM:3			
	L80/B10>100,000, L93/>50,000			
	8246095839	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L1401 x W42 x H70
	Lineal surface 1400 Zwart 2160lm			
	3000K Ra>80 DALI-2 / Push Dim			
	21W LED			
	103 lm/W SDCM:3			
	L80/B10>100,000, L93/>50,000			
	8246094746	DALI-2 / Push Dim	Ophanging, Indoor 1x2m kabelkit met plafondbeugel 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L642 x W42 x H70 x D571
	Lineal Corner Wit 1870lm 3000K			
	Ra>80 DALI-2 / Push Dim			
	17W LED			
	110 lm/W SDCM:3			
	L80/B10>100,000, L93/>50,000			
	8246095855	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L841 x W42 x H70
	Lineal surface 840 Wit 1380lm			
	3000K Ra>80 DALI-2 / Push Dim			
	13W LED			
	106 lm/W SDCM:3			
	L80/B10>100,000, L93/>50,000			

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
 8246095871 Lineal surface 1120 Wit 1870lm 3000K Ra>80 DALI-2 / Push Dim 17W LED 110 lm/W SDCM:3 L80/B10>100,000, L93/>50,000 Direct,	Klasse I IP20 IK08	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L1121 x W42 x H70
 8246095897 Lineal surface 1400 Wit 2320lm 3000K Ra>80 DALI-2 / Push Dim 21W LED 110 lm/W SDCM:3 L80/B10>100,000, L93/>50,000 Direct,	Klasse I IP20 IK08	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L1401 x W42 x H70
 8246094733 Lineal Corner Zwart 1830lm 4000K Ra>80 DALI-2 / Push Dim 17W LED 108 lm/W SDCM:3 L80/B10>100,000, L93/>50,000 Direct,	Klasse I IP20 IK08	DALI-2 / Push Dim	Ophanging, Indoor 1x2m kabelkit met plafondbeugel 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L642 x W42 x H70 x D571
 8246095062 Lineal surface 1120 Zwart 1830lm 4000K Ra>80 DALI-2 / Push Dim 17W LED 108 lm/W SDCM:3 L80/B10>100,000, L93/>50,000 Direct,	Klasse I IP20 IK08	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L1121 x W42 x H70
 8246095813 Lineal surface 840 Zwart 1350lm 4000K Ra>80 DALI-2 / Push Dim 13W LED 104 lm/W SDCM:3 L80/B10>100,000, L93/>50,000 Direct,	Klasse I IP20 IK08	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L841 x W42 x H70
 8246095842 Lineal surface 1400 Zwart 2270lm 4000K Ra>80 DALI-2 / Push Dim 21W LED 108 lm/W SDCM:3 L80/B10>100,000, L93/>50,000 Direct,	Klasse I IP20 IK08	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L1401 x W42 x H70

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	8246094759	DALI-2 / Push Dim	Ophanging, Indoor 1x2m kabelkit met plafondbeugel 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L642 x W42 x H70 x D571
	Lineal Corner Wit 1970lm 4000K Ra>80 DALI-2 / Push Dim 17W LED 116 lm/W SDCM:3 L80/B10>100,000, L93/>50,000 Direct,			
	8246095868	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L841 x W42 x H70
	Lineal surface 840 Wit 1450lm 4000K Ra>80 DALI-2 / Push Dim 13W LED 112 lm/W SDCM:3 L80/B10>100,000, L93/>50,000 Direct,			
	8246095884	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L1121 x W42 x H70
	Lineal surface 1120 Wit 1970lm 4000K Ra>80 DALI-2 / Push Dim 17W LED 116 lm/W SDCM:3 L80/B10>100,000, L93/>50,000 Direct,			
	8246095907	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L1401 x W42 x H70
	Lineal surface 1400 Wit 2440lm 4000K Ra>80 DALI-2 / Push Dim 21W LED 116 lm/W SDCM:3 L80/B10>100,000, L93/>50,000 Direct,			
	8246095965	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L1121 x W42 x H70
	8246095952	DALI-2 / Push Dim	Opbouw, Indoor 5 pol Winsta mini og 5x1,5 doorvoerbedrading	L1121 x W42 x H70

Accessoires



212198
Zwart T-drager plafondbevestiging

L30 x W20 x H5

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
				L265 x W265 x H70
				L115 x W93 x H64
				L285 x W240 x H28
				L120 x W94 x H65
				L140 x W140 x H55
				L2240 x W38 x H4
				L265 x W265 x H70
				L115 x W93 x H64
				L285 x W240 x H28
				L120 x W94 x H65
				L140 x W140 x H55
				L2240 x W38 x H4

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	8249044968 Lineal 2800 Opalprisma Afschermkap			L2800 x W38 x H4
	8249044971 Lineal 5600 Opalprisma Afschermkap			L5600 x W38 x H4
	8249044984 Lineal 8400 Opalprisma Afschermkap			L8400 x W38 x H4
	8249045116 Lineal Pendelkit 1 x 2m			