

Ray Bollard II



Design: Christian Hvidt. Ray Bollard II is designed as a long-term solution for paths, parks or landscapes, and combines energy savings, durability and precise light distribution that gives safe, glare-free environments. Simple design blends in with all surroundings. The light is directed where it is needed without glare and without light pollution. IK10 vandal-resistant and IP54.

Ray Bollard II



Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaatuu r	Montage/Aansluiting	Afmetingen
 8246094377 Ray Sokkellamp II Grijs Symmetrisch 590lm 3000K Ra>70 Niet dimbaar 6W LED 98 lm/W SDCM:4 L80/B10>100,000 Symmetrisch, Lens	Klasse II IP54 IK10	Niet dimbaar	Op oppervlakken of grondanker, Outdoor	Ø260 x H900
 8246094380 Ray Sokkellamp II Grijs Asymmetrisch 490lm 3000K Ra>70 Niet dimbaar 6W LED 82 lm/W SDCM:4 L80/B10>100,000 Asymmetrisch, Lens	Klasse II IP54 IK10	Niet dimbaar	Op oppervlakken of grondanker, Outdoor	Ø260 x H900
Accessoires				
 623984 Fixingplate for Ørsta Foundation				L200 x W200 x H8
 8249042067 Grondanker				Ø155 x L248 x W108 x H450