




Design: Christian Hvidt. Mast or wall-mounted (600 mm diameter) IP66 LED luminaire. Base and top made of die-cast aluminium, inner diffuser made of PMMA opal and outer optics made of polycarbonate (PC). Grey or black base and top. Complete with LED driver for operation of LED light sources mounted to component rail with internal connector/lampholder and pre-mounted with five-metre connection cable. Prepared for mounting on 60 mm or designer mast. Safety class II.

Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	Klasse II IP66 IK10	Niet dimbaar	Paal - bovenkant (Ø60mm), Outdoor Kabel 2x1mm ² 6m	Ø600 x H291
	Place Zwart 2410lm 3000K Ra>80 Niet dimbaar 21W LED 115 lm/W SDCM:3 L90/B10>50,000, L80/B10>100,000 Direct,			
	Klasse II IP66 IK10	DYNADIM	Paal - bovenkant (Ø60mm), Outdoor Kabel 2x1mm ² 6m	Ø600 x H291
	Place Grijs 2410lm 3000K Ra>80 DYNADIM 21W LED 115 lm/W SDCM:3 L90/B10>50,000, L80/B10>100,000 Direct,			
	Klasse II IP66 IK10	Niet dimbaar	Paal - bovenkant (Ø60mm), Outdoor Kabel 2x1mm ² 6m	Ø600 x H291
	Place Grijs 2410lm 3000K Ra>80 Niet dimbaar 21W LED 115 lm/W SDCM:3 L90/B10>50,000, L80/B10>100,000 Direct,			
	Klasse II IP66 IK10	DYNADIM	Paal - bovenkant (Ø60mm), Outdoor Kabel 2x1mm ² 6m	Ø600 x H291
	Place Zwart 2510lm 4000K Ra>80 DYNADIM 28W LED 90 lm/W SDCM:3 L90/B10>50,000, L70/B10>100,000 Direct,			
	Klasse II IP66 IK10	Niet dimbaar	Paal - bovenkant (Ø60mm), Outdoor Kabel 2x1mm ² 6m	Ø600 x H291
	Place Zwart 2530lm 4000K Ra>80 Niet dimbaar 21W LED 120 lm/W SDCM:3 L90/B10>50,000, L80/B10>100,000 Direct,			
	Klasse II IP66 IK10	DYNADIM	Paal - bovenkant (Ø60mm), Outdoor Kabel 2x1mm ² 6m	Ø600 x H291
	Place Grijs 2530lm 4000K Ra>80 DYNADIM 21W LED 120 lm/W SDCM:3 L90/B10>50,000, L70/B10>100,000 Direct,			

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
 8246087407 Place Grijs 2530lm 4000K Ra>80 Niet dimbaar 21W LED 120 lm/W SDCM:3 L90/B10>50,000, L80/B10>100,000 Direct,	Klasse II IP66 IK10	Niet dimbaar	Paal - bovenkant (Ø60mm), Outdoor Kabel 2x1mm² 6m	Ø600 x H291
Accessoires				
 8249044492 Place Wandarm Zwart Wandarm				L350 x W175 x H150
 8249044489 Place Wandarm Grijs Wandarm				L350 x W175 x H150