

Circulus Maxi Pendant



Circulus Maxi Pendant is a round pendant luminaire with a minimalistic design, giving a beautiful, even light. The luminaire is produced in a powder-coated matt black or white steel, and can be dimmed using a DALI or phase control dimmer. We recommend LEDDim 400 and LEDDim Smart. Ability to mount at different heights by means of the three adjustable flexes. The pendant is easily fitted with a bracket that can be screwed directly into all known ceiling boxes. Visible cabling also possible.

Circulus Maxi Pendant



Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
 214026 Circulus Maxi Pendel Zwart 2990lm 3000K Ra>80 DALI-2 / Push Dim 30W LED 100 lm/W SDCM:3 L70/B10>100,000 Beam: 100°, Direct, Opaal	Klasse I IP20	DALI-2 / Push Dim	Ophanging, Indoor Schroefloos klemmenblok	L550 x W550 x H55
 214022 Circulus Maxi Pendel Zwart 2990lm 3000K Ra>80 Fase afsnijding 30W LED 100 lm/W SDCM:3 L70/B10>100,000 Beam: 100°, Direct, Opaal	Klasse I IP20	Fase afsnijding	Ophanging, Indoor Schroefloos klemmenblok	L550 x W550 x H55
 214025 Circulus Maxi Pendel Wit 3060lm 3000K Ra>80 DALI-2 / Push Dim 30W LED 102 lm/W SDCM:3 L70/B10>100,000 Beam: 100°, Direct, Opaal	Klasse I IP20	DALI-2 / Push Dim	Ophanging, Indoor Schroefloos klemmenblok	L550 x W550 x H55
 214021 Circulus Maxi Pendel Wit 2990lm 3000K Ra>80 Fase afsnijding 30W LED 100 lm/W SDCM:3 L70/B10>100,000 Beam: 100°, Direct, Opaal	Klasse I IP20	Fase afsnijding	Ophanging, Indoor Schroefloos klemmenblok	L550 x W550 x H55
 214028 Circulus Maxi Pendel Zwart 3150lm 4000K Ra>80 DALI-2 / Push Dim 30W LED 105 lm/W SDCM:3 L70/B10>100,000 Beam: 100°, Direct, Opaal	Klasse I IP20	DALI-2 / Push Dim	Ophanging, Indoor Schroefloos klemmenblok	L550 x W550 x H55
 214024 Circulus Maxi Pendel Zwart 3150lm 4000K Ra>80 Fase afsnijding 30W LED 105 lm/W SDCM:3 L70/B10>100,000 Beam: 100°, Direct, Opaal	Klasse I IP20	Fase afsnijding	Ophanging, Indoor Schroefloos klemmenblok	L550 x W550 x H55

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	Klasse I IP20	DALI-2 / Push Dim	Ophanging, Indoor Schroefloos klemmenblok	L550 x W550 x H55
214027 Circulus Maxi Pendel Wit 3410lm 4000K Ra>80 DALI-2 / Push Dim 30W LED 114 lm/W SDCM:3 L70/B10>100,000 Beam: 100°, Direct, Opaal				
	Klasse I IP20	Fase afsnijding	Ophanging, Indoor Schroefloos klemmenblok	L550 x W550 x H55
214023 Circulus Maxi Pendel Wit 3410lm 4000K Ra>80 Fase afsnijding 30W LED 114 lm/W SDCM:3 L70/B10>100,000 Beam: 100°, Direct, Opaal				