

Junistar Lux Blade




The optimal downlight in the market for indoor use. Leaf springs make them easy to install in concrete ceilings. Junistar Lux IsoSafe Blade emits a balanced, non-flickering light with excellent colour rendering. Its patented, adjustable 30-degree tilt function in all directions is covered by a 10-year warranty. It includes a junction box that provides strain relief for several types of cables, as well as fixation for plastic tubing. Our IsoSafe products can be mounted directly in insulation.



Junistar Lux Blade



Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
 902646 Junistar Lux Blade Zwart 580lm 2700K Ra 98 Fase afsnijding 8W LED 73 lm/W SDCM:1 L90/B10>100,000 Beam: 42°, Direct, Reflector	Klasse II SELV IP44/IP20	Fase afsnijding	Inbouw, Indoor / Outdoor Schroefloos klemmenblok	Ø94 x H56
 902645 Junistar Lux Blade Wit 580lm 2700K Ra 98 Fase afsnijding 8W LED 73 lm/W SDCM:1 L90/B10>100,000 Beam: 42°, Direct, Reflector	Klasse II SELV IP44/IP20	Fase afsnijding	Inbouw, Indoor / Outdoor Schroefloos klemmenblok	Ø94 x H56
 902625 Junistar Lux Blade Zwart 590lm 3000K Ra 98 Fase afsnijding 8W LED 74 lm/W SDCM:1 L90/B10>100,000 Beam: 42°, Direct, Reflector	Klasse II SELV IP44/IP20	Fase afsnijding	Inbouw, Indoor / Outdoor Schroefloos klemmenblok	Ø94 x H56
 902624 Junistar Lux Blade Geborsteld Staal 590lm 3000K Ra 98 Fase afsnijding 8W LED 74 lm/W SDCM:1 L90/B10>100,000 Beam: 42°, Direct, Reflector	Klasse II SELV IP44/IP20	Fase afsnijding	Inbouw, Indoor Schroefloos klemmenblok	Ø94 x H56
 902623 Junistar Lux Blade Wit 590lm 3000K Ra 98 Fase afsnijding 8W LED 74 lm/W SDCM:1 L90/B10>100,000 Beam: 42°, Direct, Reflector	Klasse II SELV IP44/IP20	Fase afsnijding	Inbouw, Indoor / Outdoor Schroefloos klemmenblok	Ø94 x H56
Accessoires				
 9143 Rehab Ring Zwart 133mm voor Junistar, Uniled, Soft & Jupiter				Ø133 x L133 x W133 x H4

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	9236 Rehab Ring Zwart 180mm voor Junistar, Uniled, Soft & Jupiter	r		Ø180 x H45
	9973 Rehab Ring Geborsteld Staal 133mm voor Junistar, Uniled, Soft & Jupiter			Ø133 x H4
	9233 Rehab Ring Grafiet 133mm voor Junistar, Uniled, Soft & Jupiter			Ø133 x L133 x W133 x H4
	9234 Rehab Ring Grafiet 180mm voor Junistar, Uniled, Soft & Jupiter			Ø180 x H45
	9327 Rehab Ring Grafiet 250mm voor Junistar, Uniled, Soft & Jupiter			Ø250 x H45
	9223 Rehab Ring Wit 133mm voor Junistar, Uniled, Soft & Jupiter			Ø133 x L133 x W133 x H4
	9224 Rehab Ring Wit 180mm voor Junistar, Uniled, Soft & Jupiter			Ø180 x H45
	9227 Rehab Ring Wit 250mm voor Junistar, Uniled, Soft & Jupiter			Ø250 x H45
	820489 Sensor Dim Box Wit 200VA			L220 x W75 x H34
	820090 Noodbox Adapter kit voor downlight			L250 x W13 x H13
	8246094364 Noodbox On-Off/Fase afsnijding / EM Self test, Nood 3h			L270 x W75 x H35
	8246094500 Noodbox Driver DALI / EM DALI/Self test, Nood 3h			L270 x W75 x H35