




Junistar Soft TW is equipped with the revolutionary Tunable White (TW) LEDDim technology. You can regulate both the lighting level and colour without extra cabling, using SG's TW LEDDim Smart dimmer. Control it manually or via the LEDDim app. When using the SG Smart Gateway, you can also set a daylight sequence which changes colour and intensity throughout the day. You can choose a standard rhythm or set your own. Junistar Soft TW comes in two colour temperature ranges: 2700-6500K for traditional TW with the typical circadian spectrum, or 2000-4000K for typical residential use including warm and cosy colour temperatures. This is similar to DimToWarm, but with independent control of light level and colour temperature.

Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
 903323 Junistar Soft TW Zwart 580lm (@4000K) 2000-4000K Ra>90 TW LEDDim 11W LED 53 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	Klasse II SELV IP54/IP20	TW LEDDim	Inbouw, Indoor / Outdoor Schroefloos klemmenblok	Ø94 x H53
 903321 Junistar Soft TW Wit 650lm (@4000K) 2000-4000K Ra>90 TW LEDDim 11W LED 59 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	Klasse II SELV IP54/IP20	TW LEDDim	Inbouw, Indoor / Outdoor Schroefloos klemmenblok	Ø94 x H53
 903322 Junistar Soft TW Zwart 610lm (@6500K) 2700-6500K Ra>90 TW LEDDim 11W LED 55 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	Klasse II SELV IP54/IP20	TW LEDDim	Inbouw, Indoor / Outdoor Schroefloos klemmenblok	Ø94 x H53
 903320 Junistar Soft TW Wit 670lm (@6500K) 2700-6500K Ra>90 TW LEDDim 11W LED 61 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	Klasse II SELV IP54/IP20	TW LEDDim	Inbouw, Indoor / Outdoor Schroefloos klemmenblok	Ø94 x H53
Accessoires				
 9143 Rehab Ring Zwart 133mm voor Junistar, Uniled, Soft & Jupiter				Ø133 x L133 x W133 x H4
 9236 Rehab Ring Zwart 180mm voor Junistar, Uniled, Soft & Jupiter				Ø180 x H45

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	9223 Rehab Ring Wit 133mm voor Junistar, Uniled, Soft & Jupiter	r		Ø133 x L133 x W133 x H4
	9224 Rehab Ring Wit 180mm voor Junistar, Uniled, Soft & Jupiter			Ø180 x H45
	9227 Rehab Ring Wit 250mm voor Junistar, Uniled, Soft & Jupiter			Ø250 x H45
	9427 Rehab Ring 250mm voor Junistar, Uniled, Soft & Jupiter			Ø250 x H45
	820090 Noodbox Adapter kit voor downlight			L250 x W13 x H13
	8246094364 Noodbox On-Off/Fase afsnijding / EM Self test, Nood 3h			L270 x W75 x H35
	8246094500 Noodbox Driver DALI / EM DALI/Self test, Nood 3h			L270 x W75 x H35