

Sense Eco Opalprism




The Sense Eco panel is well designed and only 10 mm high. A narrow frame ensures attractive look and high efficiency. Sense can be mounted to visible T-rail ceilings without accessories and to concealed T-rail ceilings, DAMPA clip-in ceilings, Trolldtekt acoustic panels and Gypsum, and surface-mounted using accessories. This makes Sense an all-round quality panel that can be used everywhere. Sense is available with phase-dimming or DALI depending on which driver kit is selected (accessory).



Sense Eco Opalprism



Product- en omgevingsbeelden



Artikel		Bescherming	Regelapparaatu r	Montage/Aansluiting	Afmetingen
	212222 Sense ECO 600x600 Wit Opalprisma 3000K Ra>80 LED SDCM:3 L80/B20>50,000, L90>50,000 Beam: 110°, Direct, Opalprisma	Klasse III IP40/IP20 IK10		Inbouw, Indoor Quick connector	L595 x W595 x H10
	212223 Sense ECO 600x600 Wit Opalprisma 4000K Ra>80 LED SDCM:3 L80/B20>50,000, L90>50,000 Beam: 110°, Direct, Opalprisma	Klasse III IP40/IP20 IK10		Inbouw, Indoor Quick connector	L595 x W595 x H10
Driver					
	820083 Sense Driver Wit 3000lm 25W 700mA DALI-2 / Push Dim 25W 100,000	Klasse II IP20	DALI-2 / Push Dim	Inbouw, Indoor 5-polige Linect / schroefloos klemmenblok	L124 x W79 x H22
	820490 Sense Driver Wit 3000lm 25W 700mA Fase afsnijding 25W 100,000	Klasse II IP20	Fase afsnijding	Inbouw, Indoor Kabel 2m Incl. snoer en stekker	L108 x W53 x H30
	820491 Sense Driver Wit 3000lm 25W 700mA Fase afsnijding / Linect 25W 100,000	Klasse II IP20	Fase afsnijding / Linect	Inbouw, Indoor 3-polige Linect / schroefloos klemmenblok	L108 x W53 x H30
Accessoires					
	212256 Sense 600x600 Wit Opbouw kader				L604 x W604 x H48
	820489 Sensor Dim Box Wit 200VA				L220 x W75 x H34

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	8249045006			L640 x W640 x H40
	Sense 600x600 Wit Gipsplaat/Troldtekt Inbouwkader			
	212170			L2000
	Sense 2m Pendelkit			
	8246094364			L270 x W75 x H35
	Noodbox On-Off/Fase afsnijding / EM Self test, Nood 3h			
	8246094500			L270 x W75 x H35
	Noodbox Driver DALI / EM DALI/Self test, Nood 3h			