

Sense 320 3-Circuit



General lighting luminaire for ShopLine three-phase track systems. It can even be used with other track systems that fits Global adapters. Stylish, thin disc, with opal prismatic front, directing the light and securing low glare. The driver is Integrated in the track adapter.

Sense 320 3-Circuit



Product- en omgevingsbeelden



Artikel		Bescherming	Regelapparaatuu r	Montage/Aansluiting	Afmetingen
	212386 Sense 320 3-Fasen Zwart 3160lm 3000K Ra>80 Niet dimbaar 27W LED 117 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Direct, Opaal	Klasse II SELV IP40/IP20	Niet dimbaar	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	Ø320 x H100
	212382 Sense 320 3-Fasen Wit 3390lm 3000K Ra>80 Niet dimbaar 27W LED 126 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Direct, Opaal	Klasse II SELV IP40/IP20	Niet dimbaar	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	Ø320 x H100
	212387 Sense 320 3-Fasen Zwart 3330lm 4000K Ra>80 Niet dimbaar 27W LED 123 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Direct, Opaal	Klasse II SELV IP40/IP20	Niet dimbaar	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	Ø320 x H100
	212383 Sense 320 3-Fasen Wit 3570lm 4000K Ra>80 Niet dimbaar 27W LED 132 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Direct, Opaal	Klasse II SELV IP40/IP20	Niet dimbaar	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	Ø320 x H100