

Zip Tube Mini 3-Circuit




Zip Tube Mini is a stylish and minimalist spotlight designed for Shopline, but the universal bracket means that it can also be fitted in the most common 3-phase systems on the market. This model is the smaller version of Tube, with a diameter of 59 mm, which is a more compact model in the product range. The basic design has a black baffle, but the inner ring can be unscrewed and replaced with a white or gold version (accessory). This allows for creative individual designs. The black provides less dazzle, the gold gives a warmer light, and the white reflects the most.

Zip Tube Mini 3-Circuit



Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
 320620 Zip Tube Mini 3-Fasen Zwart 880lm 2700K Ra 98 Fase afsnijding 14W LED 63 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium	Klasse I IP20	Fase afsnijding	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	Ø59 x H160
 320878 Zip Tube Mini 3-Fasen Messing 880lm 2700K Ra 98 Fase afsnijding 14W LED 63 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium	Klasse I IP20	Fase afsnijding	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	Ø59 x H160
 320616 Zip Tube Mini 3-Fasen Wit 880lm 2700K Ra 98 Fase afsnijding 14W LED 63 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium	Klasse I IP20	Fase afsnijding	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	Ø59 x H160
 320621 Zip Tube Mini 3-Fasen Zwart 900lm 3000K Ra 98 Fase afsnijding 14W LED 64 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium	Klasse I IP20	Fase afsnijding	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	Ø59 x H160
 320879 Zip Tube Mini 3-Fasen Messing 900lm 3000K Ra 98 Fase afsnijding 14W LED 64 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium	Klasse I IP20	Fase afsnijding	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	Ø59 x H160
 320617 Zip Tube Mini 3-Fasen Wit 900lm 3000K Ra 98 Fase afsnijding 14W LED 64 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium	Klasse I IP20	Fase afsnijding	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	Ø59 x H160

Accessoires

Artikel		Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	314423	Klasse I IP20	r	Opbouw, Indoor	Ø100
	Shopline Zwart Monopoint				
	320684				Ø55 x L55 x W7 x H18
	Tube Mini Zwart Ø59 Frontring				
	320685				Ø55 x L55 x W7 x H18
	Tube Mini Goud Ø59 Frontring				
	320757				Ø59 x H38
	Tube Mini Opaal 20mm Decoration ring				
	320758				Ø59 x H73
	Tube Mini Opaal 55mm Decoration ring				
	312423	Klasse I IP20		Opbouw, Indoor	Ø100 x H36
	Shopline Wit Monopoint				
	320683				Ø55 x L55 x W7 x H18
	Tube Mini Wit Ø59 Frontring				