

Frame Square Wall



Design: Holscher Design. Frame has a modern, stylish design that is great whether it is used indoors or outdoors. It can be mounted on ceilings and walls. Frame is available in round, square and rectangular shapes in different sizes. Made of die-cast, powder-coated aluminium in black, white or graphite. Flat diffuser made of UV-stabilised opal polycarbonate. Easy to install, two inputs/outputs for cables, with the option for either hidden or visible cabling. IP66 and IK10.

Frame Square Wall



Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
 605256 Frame Square Wall Zwart 300lm 3000K Ra>80 Fase afsnijding 7W LED 43 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Direct, Opaal	Klasse II IP66 IK10	r Fase afsnijding	Opbouw, Indoor / Outdoor Schroefloos klemmenblok	L240 x W240 x H77
 605266 Frame Square Wall Grafiet 300lm 3000K Ra>80 Fase afsnijding 7W LED 43 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Direct, Opaal	Klasse II IP66 IK10	Fase afsnijding	Opbouw, Indoor / Outdoor Schroefloos klemmenblok	L240 x W240 x H77
 605246 Frame Square Wall Wit 300lm 3000K Ra>80 Fase afsnijding 7W LED 43 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Direct, Opaal	Klasse II IP66 IK10	Fase afsnijding	Opbouw, Indoor / Outdoor Schroefloos klemmenblok	L240 x W240 x H77
 605093 Frame Square Wall Grafiet 300lm 4000K Ra>80 Fase afsnijding 7W LED 43 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Direct, Opaal	Klasse II IP66 IK10	Fase afsnijding	Opbouw, Indoor / Outdoor Schroefloos klemmenblok	L240 x W240 x H77