

Exclusive Midi



Exclusive Midi is a downlight for indoor and outdoor use with a 60-degree tilt to direct the light to where you need it. Well-suited for slanted ceilings and as shop lighting. Made of die-cast powder-coated aluminium. Dimmable with phase control dimmer or DALI. Tool-free installation and possibility for looping. Replaces 35W Metal Halogen

Exclusive Midi



Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
 902629 Exclusive Midi Zwart 2610lm 3000K Ra>90 DALI-2 / Push Dim 26W LED 100 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector	Klasse II IP44/IP20	DALI-2 / Push Dim	Inbouw, Indoor / Outdoor 5-polige Linect / schroefloos klemmenblok	Ø114 x H88
 902628 Exclusive Midi Zwart 2610lm 3000K Ra>90 Fase afsnijding 26W LED 100 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector	Klasse II IP44/IP20	Fase afsnijding	Inbouw, Indoor / Outdoor Schroefloos klemmenblok	Ø114
 902627 Exclusive Midi Wit 2610lm 3000K Ra>90 DALI-2 / Push Dim 26W LED 100 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector	Klasse II IP44/IP20	DALI-2 / Push Dim	Inbouw, Indoor / Outdoor 5-polige Linect / schroefloos klemmenblok	Ø114 x H88
 902626 Exclusive Midi Wit 2610lm 3000K Ra>90 Fase afsnijding 26W LED 100 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector	Klasse II IP44/IP20	Fase afsnijding	Inbouw, Indoor / Outdoor Schroefloos klemmenblok	Ø114
 902633 Exclusive Midi Zwart 2770lm 4000K Ra>90 DALI-2 / Push Dim 26W LED 107 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector	Klasse II IP44/IP20	DALI-2 / Push Dim	Inbouw, Indoor / Outdoor 5-polige Linect / schroefloos klemmenblok	Ø114 x H88
 902632 Exclusive Midi Zwart 2770lm 4000K Ra>90 Fase afsnijding 26W LED 107 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector	Klasse II IP44/IP20	Fase afsnijding	Inbouw, Indoor / Outdoor Schroefloos klemmenblok	Ø114

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	902631	Klasse II	DALI-2 / Push Dim	Ø114 x H88
	Exclusive Midi Wit 2770lm 4000K Ra>90 DALI-2 / Push Dim 26W LED 107 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector	IP44/IP20	Inbouw, Indoor / Outdoor 5-polige Linect / schroefloos klemmenblok	
	902630	Klasse II	Fase afsnijding	Ø114
	Exclusive Midi Wit 2770lm 4000K Ra>90 Fase afsnijding 26W LED 107 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector	IP44/IP20	Inbouw, Indoor / Outdoor Schrøefloos klemmenblok	
Accessoires				
	3827			Ø180
	Rehab Ring Zwart 180mm voor Exclusive Midi & Jupiter Pro			
	3828			Ø250
	Rehab Ring Zwart 250mm voor Exclusive Midi & Jupiter Pro			
	3815			Ø180
	Rehab Ring Wit 180mm voor Exclusive Midi & Jupiter Pro			
	3823			Ø250
	Rehab Ring Wit 250mm voor Exclusive Midi & Jupiter Pro			
	3825			Ø300 x H45
	Rehab Ring Wit 300mm voor Exclusive Midi & Jupiter Pro			
	300474			L70 x W70 x H42
	Reflector D20 Exclusive Midi			
	300475			L70 x W70 x H42
	Reflector D60 Exclusive Midi			