

Tube Micro S



Tube Micro S is a stylish and minimalist spotlight for mounting on ceilings, inclined ceilings or walls. It has a powerful light that can be used indirect for general lighting or directly to emphasize parts of the environment. The spot can be rotated and tilted to exactly where the light is needed. It is easy to install on all known ceiling outlets and boxes and can be looped. The spot comes with a black bezel as standard, with low glare. Other bezels in white and gold are available as accessory.

Tube Micro S



Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
 320811 Tube Micro S Zwart DimToWarm 340lm 2000-2800K Ra>95 Fase afsnijding 7W LED 49 lm/W SDCM:2 L90/B10>50,000 Beam: 36°, Direct, Reflector	Klasse II IP20	Fase afsnijding	Opbouw, Indoor	Ø102 x L135 x W39 x H25
 320808 Tube Micro S Wit DimToWarm 340lm 2000-2800K Ra>95 Fase afsnijding 7W LED 49 lm/W SDCM:2 L90/B10>50,000 Beam: 36°, Direct, Reflector	Klasse II IP20	Fase afsnijding	Opbouw, Indoor	Ø102 x L135 x W39 x H25
 320809 Tube Micro S Zwart 360lm 2700K Ra 98 Fase afsnijding 7W LED 51 lm/W SDCM:2 L90/B10>50,000 Beam: 36°, Direct, Reflector	Klasse II IP20	Fase afsnijding	Opbouw, Indoor	Ø102 x L135 x W39 x H25
 320806 Tube Micro S Wit 360lm 2700K Ra 98 Fase afsnijding 7W LED 51 lm/W SDCM:2 L90/B10>50,000 Beam: 36°, Direct, Reflector	Klasse II IP20	Fase afsnijding	Opbouw, Indoor	Ø102 x L135 x W39 x H25
 320810 Tube Micro S Zwart 370lm 3000K Ra 98 Fase afsnijding 7W LED 53 lm/W SDCM:2 L90/B10>50,000 Beam: 36°, Direct, Reflector	Klasse II IP20	Fase afsnijding	Opbouw, Indoor	Ø102 x L135 x W39 x H25
 320807 Tube Micro S Wit 370lm 3000K Ra 98 Fase afsnijding 7W LED 53 lm/W SDCM:2 L90/B10>50,000 Beam: 36°, Direct, Reflector	Klasse II IP20	Fase afsnijding	Opbouw, Indoor	Ø102 x L135 x W39 x H25

Accessoires



320681

Tube Micro Zwart Ø39 Frontring

Ø37 x H11



320682

Tube Micro Goud Ø39 Frontring

Ø37 x H11



320756

Tube Micro Opaal 10mm Decoration ring

Ø39 x H21



320680

Tube Micro Wit Ø39 Frontring

Ø37 x H11