

Tube Eco DALI




LED spot for DALI three-phase rail system. Fitted with global adapter and compatible with all systems that work with this. Powerful LED chip and integrated driver gives this spot a minimalistic and exclusive look. A long service life, fantastic colour rendering and large lumen package make Tube Eco DALI the ideal choice for shops and exhibitions. Tube Eco DALI comes with a honeycomb filter that can be attached in front of the reflector for extremely low glare.

Tube Eco DALI



Product- en omgevingsbeelden





De afmetingen van de lijntekening vindt u bij de afzonderlijke artikelcodes op de volgende pagina

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
 312452 Tube Eco 3-Fasen Zwart 2280lm 3000K Ra>90 DALI-2 26W LED 88 lm/W SDCM:3 L90/B10>100,000 Beam: 32°, Direct, Reflector	Klasse I IP20	DALI-2	Opbouw, Indoor ShopLine DALI rail (adapter inbegrepen)	Ø92 x H220
 312450 Tube Eco 3-Fasen Wit 2280lm 3000K Ra>90 DALI-2 26W LED 88 lm/W SDCM:3 L90/B10>100,000 Beam: 32°, Direct, Reflector	Klasse I IP20	DALI-2	Opbouw, Indoor ShopLine DALI rail (adapter inbegrepen)	Ø92 x H220
 312453 Tube Eco 3-Fasen Zwart 2410lm 4000K Ra>90 DALI-2 26W LED 93 lm/W SDCM:3 L90/B10>100,000 Beam: 32°, Direct, Reflector	Klasse I IP20	DALI-2	Opbouw, Indoor ShopLine DALI rail (adapter inbegrepen)	Ø92 x H220
 312451 Tube Eco 3-Fasen Wit 2410lm 4000K Ra>90 DALI-2 26W LED 93 lm/W SDCM:3 L90/B10>100,000 Beam: 32°, Direct, Reflector	Klasse I IP20	DALI-2	Opbouw, Indoor ShopLine DALI rail (adapter inbegrepen)	Ø92 x H220
Accessoires				
 312531 Shopline DALI Zwart Monopoint	Klasse I IP20		Opbouw, Indoor	Ø143 x H35
 312530 Shopline DALI Wit Monopoint	Klasse I IP20		Opbouw, Indoor	Ø143 x H35
 300470 Tube(Eco)/Aneto 17° Reflector				L75 x W75 x H55

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	300471 Tube(Eco)/Aneto 32° Reflector	r		L75 x W75 x H55
	300472 Tube(Eco)/Aneto 50° Reflector			L75 x W75 x H55