


Disc 760



Disc 760 is suitable for large rooms, foyers, meeting rooms, restaurants, etc. Energy-efficient surface LED luminaires with a slim profile for a contemporary look. The Opalprismatic diffuser provides uniform light with low glare, UGR

Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparatu r	Montage/Aansluiting	Afmetingen
 606178 Disc 760 Zwart 6230/6330lm 2700/3000K Ra>80 DALI-2 / Push Dim 55W LED 113 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Beam: 83°, Direct, Opalprisma	Klasse II IP20 IK10	DALI-2 / Push Dim	Opbouw, Indoor Schroefloos klemmenblok	Ø760 x H55
 606177 Disc 760 Wit 6910/7130lm 2700/3000K Ra>80 DALI-2 / Push Dim 55W LED 126 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Beam: 88°, Direct, Opalprisma	Klasse II IP20 IK10	DALI-2 / Push Dim	Opbouw, Indoor Schroefloos klemmenblok	Ø760 x H55
 606133 Disc 760 Zwart 7360lm 4000K Ra>80 DALI-2 / Push Dim 64W LED 115 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Beam: 83°, Direct, Opalprisma	Klasse II IP20 IK10	DALI-2 / Push Dim	Opbouw, Indoor Schroefloos klemmenblok	Ø760 x H55
 606131 Disc 760 Wit 7540lm 4000K Ra>80 DALI-2 / Push Dim 64W LED 118 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Beam: 88°, Direct, Opalprisma	Klasse II IP20 IK10	DALI-2 / Push Dim	Opbouw, Indoor Schroefloos klemmenblok	Ø760 x H55
Accessoires				
 616113 Disc 760 Zwart Pendelkit				L5000 x W102 x H22
 616112 Disc 760 Wit Pendelkit				L5000 x W102 x H22
 212234 Sense Surface/Disc 760 2m Pendelkit				L2000