

Prelude Square TW



Prelude Square TW is een spiegelarmatuur met een stijlvol ontwerp. Dankzij de bijzondere ledlenstechnologie verspreidt de armatuur een zeer gelijkvormig licht, waardoor ze een logische keuze is boven spiegels. Ideaal voor in badkamers en dergelijke omgevingen. Prelude Square TW is verkrijgbaar met of zonder stopcontact. Tunable White 2000-4000K LEDDim.

Prelude Square TW



Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
 111395 Prelude Square Zwart 1370lm 2000-4000K Ra>80 TW LEDDim 12W LED 114 lm/W SDCM:3 L80/B50>100,000 Direct, Acrylic diffuser	Klasse II IP44 (mounted horizontally) / IP40 (mounted vertically) IK05	TW LEDDim	Opbouw, Indoor Schroefloos klemmenblok	W519 x H59 x D62
 111396 Prelude Square Zwart met stopcontact 1370lm 2000-4000K Ra>80 TW LEDDim 12W LED 114 lm/W SDCM:3 L80/B50>100,000 Direct, Acrylic diffuser	Klasse I IP44 (mounted horizontally) / IP40 (mounted vertically) IK05	TW LEDDim	Opbouw, Indoor Schroefloos klemmenblok	W590 x H59 x D62
 111393 Prelude Square Wit 1400lm 2000-4000K Ra>80 TW LEDDim 12W LED 117 lm/W SDCM:3 L80/B50>100,000 Direct, Acrylic diffuser	Klasse II IP44 (mounted horizontally) / IP40 (mounted vertically) IK05	TW LEDDim	Opbouw, Indoor Schroefloos klemmenblok	W519 x H59 x D62
 111394 Prelude Square Wit met stopcontact 1400lm 2000-4000K Ra>80 TW LEDDim 12W LED 117 lm/W SDCM:3 L80/B50>100,000 Direct, Acrylic diffuser	Klasse I IP44 (mounted horizontally) / IP40 (mounted vertically) IK05	TW LEDDim	Opbouw, Indoor Schroefloos klemmenblok	W590 x H59 x D62
Accessoires				
 111389 Prelude Square Zwart Cover				W522 x H62 x D56
 111385 Prelude Square Wit Cover				W522 x H62 x D56