

Sense Pro X





Sense Pro X is a highly energy-efficient LED panel with up to 180lm/W. Lens technology combined with an opalprism diffuser provides superbly even lighting and low glare (UGR

Sense Pro X



Product- en omgevingsbeelden



Artikel		Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	212660	Klasse II SELV	DALI-2	Inbouw, Indoor Schroefloos klemmenblok	L597 x W597 x H29
Sense Pro X 600x600 Wit Incl driver	IP40/IP20				
3980lm 3000K Ra>80 DALI-2	IK06				
23W LED					
173 lm/W SDCM:3					
L90/B10>100,000, L96>50,000					
Direct, Opalprisma					
	212661	Klasse II SELV	DALI-2	Inbouw, Indoor Schroefloos klemmenblok	L597 x W597 x H29
Sense Pro X 600x600 Wit Incl driver	IP40/IP20				
4120lm 4000K Ra>80 DALI-2	IK06				
23W LED					
179 lm/W SDCM:3					
L90/B10>100,000, L96>50,000					
Direct, Opalprisma					
Accessoires					
	8249045006				L640 x W640 x H40
Sense 600x600 Wit Gipsplaat/Troldtekt Inbouwkader					
	8246094364				L270 x W75 x H35
Noodbox On-Off/Fase afsnijding / EM Self test, Nood 3h					
	8246094500				L270 x W75 x H35
Noodbox Driver DALI / EM DALI/Self test, Nood 3h					