

Rax Soft 150 Connect Wireless



A version of Rax Soft 150, which is combined with a wide range of SG Connect Driver Kit Wireless to provide the desired amount of light. The lighting control is easy to configure using the SG Connect Commissioning App, and the luminaire can be used with a wireless sensor or as part of a larger system, along with other SG Connect luminaires with integrated sensors, which can easily be enlarged or reconfigured as needed. The light is turned on and off after a defined period of time, contributing to energy saving. Rax Soft Connect is installed easily with springs that fit ceiling panels with a thickness of 1–50 mm.


Rax Soft 150 Connect Wireless



Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	212770 Rax Soft 150 Satin 3000K Ra>80 Connect Wireless LED SDCM:2 L90/B10>100,000 Beam: 68°, Direct, Satijnmatte reflector	Klasse II SELV IP44/IP20 IK08	Connect Wireless Inbouw, Indoor Quick connector	Ø166 x H83
	212771 Rax Soft 150 Satin 4000K Ra>80 Connect Wireless LED SDCM:2 L90/B10>100,000 Beam: 68°, Direct, Satijnmatte reflector	Klasse II SELV IP44/IP20 IK08	Connect Wireless Inbouw, Indoor Quick connector	Ø166 x H83
Driver				
	820503 Driver kit Wireless 13W 300mA Connect 13W 100,000	Klasse II IP20	Connect Inbouw, Indoor 3-polige Linect / schroefloos klemmenblok	L157 x W45 x H30
	820504 Driver kit Wireless 18W 500mA Connect 18W 100,000	Klasse II IP20	Connect Inbouw, Indoor 3-polige Linect / schroefloos klemmenblok	L157 x W45 x H30
	820506 Driver kit Wireless 26W 700mA Connect 26W 100,000	Klasse II IP20	Connect Inbouw, Indoor 3-polige Linect / schroefloos klemmenblok	L157 x W45 x H30
Accessoires				
	212617 Rax 150 Zwart Rehabring Ø155-200mm			Ø220 x H16

Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	212621 Rax 150 Zwart Helder glas IP44	r		Ø168 x H12
	212623 Rax 150 Zwart Mat glas IP44			Ø168 x H12
	212620 Rax 150 Wit Helder glas IP44			Ø168 x H12
	212622 Rax 150 Wit Mat glas IP44			Ø168 x H12
	8249044683 Rax 150 Wit Rehabring Ø155-200mm			Ø220 x H16
	8249042216 Rax 150 Montageplaat			L585 x W260 x H15