

Inspire 300 3-Circuit



Compact size, powerful LED chips with excellent color rendering and high lumen output, and tiltable housing makes Inspire 300 3-Circuit a great choice for shops and exhibitions. The cubic black reflectors provide very low glare. Inspire 300 3-Circuit is a wallwasher designed for ShopLine three-phase track systems but can also be used with other track systems compatible with Global adapters. The driver is integrated into the track adapter and includes dip switches, allowing you to set the light to maximum brightness (standard) or UGR

Inspire 300 3-Circuit



Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaat	Montage/Aansluiting	Afmetingen
	212464	Klasse II	Niet dimbaar	L285 x W82 x H75
	Inspire 300 3-Fasen Zwart 3480lm	IP20	Opbouw, Indoor	ShopLine rail (adapter inbegrepen)
	3000K Ra>90 Niet dimbaar			
	34W LED			
	102 lm/W SDCM:3 L70/B10>100,000, L80/B10>70,000 Cubic Optic Noir			
	212460	Klasse II	Niet dimbaar	L285 x W82 x H75
	Inspire 300 3-Fasen Wit 3480lm	IP20	Opbouw, Indoor	ShopLine rail (adapter inbegrepen)
	3000K Ra>90 Niet dimbaar			
	34W LED			
	102 lm/W SDCM:3 L70/B10>100,000, L80/B10>70,000 Cubic Optic Noir			
	212466	Klasse II	Niet dimbaar	L285 x W82 x H75
	Inspire 300 3-Fasen Zwart 3500lm	IP20	Opbouw, Indoor	ShopLine rail (adapter inbegrepen)
	4000K Ra>90 Niet dimbaar			
	34W LED			
	103 lm/W SDCM:3 L70/B10>100,000, L80/B10>70,000 Cubic Optic Noir			
	212462	Klasse II	Niet dimbaar	L285 x W82 x H75
	Inspire 300 3-Fasen Wit 3500lm	IP20	Opbouw, Indoor	ShopLine rail (adapter inbegrepen)
	4000K Ra>90 Niet dimbaar			
	34W LED			
	103 lm/W SDCM:3 L70/B10>100,000, L80/B10>70,000 Cubic Optic Noir			