

Arena 600



Luminaire for general lighting for the ShopLine three-phase track system. Can also be used with other track systems that utilize Global. Stylish, slim fixture with lens technology that directs the light where it's needed. The driver is integrated into the track adapter and includes dip switches, facilitating adjustment of light output or reduced UGR.

Product- en omgevingsbeelden



Artikel	Bescherming	Regelapparaatu r	Montage/Aansluiting	Afmetingen
 607044 Arena 600 3-Fasen Zwart Medium 3420lm 3000K Ra>90 Niet dimbaar 26W LED 132 lm/W SDCM:3 L90/B10>100,000 Beam: 60°, Direct,	Klasse II SELV IP20	Niet dimbaar	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	L583 x W69 x H69
 607040 Arena 600 3-Fasen Wit Medium 3690lm 3000K Ra>90 Niet dimbaar 26W LED 142 lm/W SDCM:3 L90/B10>100,000 Beam: 60°, Direct,	Klasse II SELV IP20	Niet dimbaar	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	L583 x W69 x H69
 607046 Arena 600 3-Fasen Zwart Medium 3800lm 4000K Ra>90 Niet dimbaar 26W LED 146 lm/W SDCM:3 L90/B10>100,000 Beam: 60°, Direct,	Klasse II SELV IP20	Niet dimbaar	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	L583 x W69 x H69
 607042 Arena 600 3-Fasen Wit Medium 4100lm 4000K Ra>90 Niet dimbaar 26W LED 158 lm/W SDCM:3 L90/B10>100,000 Beam: 60°, Direct,	Klasse II SELV IP20	Niet dimbaar	Opbouw, Indoor ShopLine rail (adapter inbegrepen)	L583 x W69 x H69