



CE – Declaration of Conformity

Document: CE-UKCA260609B_Herning Bollard
Product Inspection: PI240415A
Risk Assessment: RA260210A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Herning Bollard

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i> Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i> Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i> (Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) * As applicable and including amendments
--	--	--

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863 + RoHS 2022/284

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 62722-1:2022	(Luminaire performance - General requirements)
EN 62722-2-1:2023	(Luminaire performance - Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)


CE declaration date: 2026

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 09/06-2026
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person


Signature of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA260609B_Herning Bollard
Product Inspection: PI240415A
Risk Assessment: RA260210A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Herning Bollard

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 62722-1:2022	(Luminaire performance - General requirements)
EN 62722-2-1:2023	(Luminaire performance - Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)


UKCA declaration date: 2026

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 09/06-2026
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person


Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021986239782	Herning Polehead Ø60 Black Mini 580/620/1220/1300lm	3000/4000K Ra>80	703150
7021986239805	Herning Polehead Ø60 Grey Mini 580/620/1220/1300lm	3000/4000K Ra>80	703150
7021986239812	Herning Polehead Ø60 Grey Midi 1060/1140/1770/1920lm	3000/4000K Ra>80	703150
7021986239829	Herning Polehead Ø60 Corten Mini 580/620/1220/1300lm	3000/4000K Ra>80	703150
7021986239836	Herning Polehead Ø60 Corten Midi 1060/1140/1770/1920lm	3000/4000K Ra>80	703150
7021986239799	Herning Polehead Ø60 Black Midi 1060/1140/1770/1920lm	3000/4000K Ra>80	703150
7021986240160	Herning Polehead Ø60 Black Midi Asymmetric Path	3000K DYNADIM	703150
7021986240207	Herning Polehead Ø60 Black Midi Asymmetric Path	4000K DALI-2	703150
7021986240108	Herning Polehead Ø60 Black Midi Asymmetric Road	4000K DYNADIM	703150
7021986240085	Herning Polehead Ø60 Black Midi Asymmetric Road	4000K DALI-2	703150
7021986240146	Herning Polehead Ø60 Black Midi Asymmetric Path	3000K DALI-2	703150
7021986240221	Herning Polehead Ø60 Black Midi Asymmetric Path	4000K DYNADIM	703150
7021986240153	Herning Polehead Ø60 Grey Midi Asymmetric Path	3000K DALI-2	703150
7021986240139	Herning Polehead Ø60 Grey Midi Asymmetric Path	3000K	703150
7021986240030	Herning Polehead Ø60 Grey Midi Asymmetric Road	3000K DALI-2	703150
7021986240238	Herning Polehead Ø60 Black Midi Asymmetric Path	4000K DYNADIM	703150
7021986240078	Herning Polehead Ø60 Grey Midi Asymmetric Road	4000K	703150
7021986240092	Herning Polehead Ø60 Grey Midi Asymmetric Road	4000K DALI-2	703150
7021986240023	Herning Polehead Ø60 Black Midi Asymmetric Road	3000K DALI-2	703150
7021986240016	Herning Polehead Ø60 Grey Midi Asymmetric Road	3000K	703150
7021986240184	Herning Polehead Ø60 Black Midi Asymmetric Path	4000K	703150
7021986240047	Herning Polehead Ø60 Black Midi Asymmetric Road	3000K DYNADIM	703150
7021986240191	Herning Polehead Ø60 Grey Midi Asymmetric Path	4000K	703150
7021986240061	Herning Polehead Ø60 Black Midi Asymmetric Road	4000K	703150
7021986240009	Herning Polehead Ø60 Black Midi Asymmetric Road	3000K	703150
7021986240122	Herning Polehead Ø60 Black Midi Asymmetric Path	3000K	703150
7021986240054	Herning Polehead Ø60 Grey Midi Asymmetric Road	3000K DYNADIM	703150
7021986240177	Herning Polehead Ø60 Grey Midi Asymmetric Path	3000K DYNADIM	703150
7021986240115	Herning Polehead Ø60 Grey Midi Asymmetric Road	4000K DYNADIM	703150
7021986240214	Herning Polehead Ø60 Grey Midi Asymmetric Path	4000K DALI-2	703150
Pole			
7021986239751	Herning Bollard 900 Ø60 Black		703150
7021986239768	Herning Bollard 900 Ø60 Grey		703150
7021986239775	Herning Bollard 900 Ø60 Corten		703150
7021986239720	Herning 2,5M Ø60 Black		703150
7021986239737	Herning Pole 2,5M Ø60 Grey		703150
7021986239744	Herning 2,5M Ø60 Corten		703150
Accessories			
7021986239874	Herning Bollard Ø60 Black Top cover		703150
7021986239881	Herning Bollard Ø60 Grey Top cover		703150
7021986239898	Herning Bollard Ø60 Corten Top cover		703150