



CE – Declaration of Conformity

Document: CE-UKCA260612B_Sense Basic Connect
Product Inspection: PI260610A
Risk Assessment: RA250617A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Sense Basic Connect

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i> Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i> Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i> (Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) * As applicable and including amendments
--	--	--

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863 + RoHS 2022/284

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires – General requirements)
EN 60598-2-2:2012	(Luminaires – Recessed)
EN 60598-2-22:2022	(Luminaires – emergency lighting)
EN 62722-1:2022	(Luminaire performance – General requirements)
EN 62722-2-1:2023	(Luminaire performance – Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC – Radio disturbance)
EN 61000-3-2:2019	(EMC – Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC – Immunity)


CE declaration date: 2026

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 12/06-2026
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person


Signature of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA260612B_Sense Basic Connect
Product Inspection: PI260610A
Risk Assessment: RA250617A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Sense Basic Connect

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires – General requirements)
EN 60598-2-2:2012	(Luminaires – Recessed)
EN 60598-2-22:2022	(Luminaires – emergency lighting)
EN 62722-1:2022	(Luminaire performance - General requirements)
EN 62722-2-1:2023	(Luminaire performance - Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC – Radio disturbance)
EN 61000-3-2:2019	(EMC – Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC – Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)


UKCA declaration date: 2026

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 12/06-2026
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person


Signature of authorized person



Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021982127069	Sense Basic 600x600 White Incl driver 4320lm	3000K Ra>80 Connect	703500
7021982127076	Sense Basic 600x600 White Incl driver 4390lm	4000K Ra>80 Connect	703500
7021982130014	Sense Basic 600x600 White Incl driver 4390lm	4000K Ra>80 Connect Wireless	703865
7021982130007	Sense Basic 600x600 White Incl driver 4320lm	3000K Ra>80 Connect Wireless	703865
7021982130038	Sense Basic 300x1200 White Incl driver 4300lm	4000K Ra>80 Connect Wireless	703865
7021982130021	Sense Basic 300x1200 White Incl driver 4240lm	3000K Ra>80 Connect Wireless	703865

Emergencybox

5703821177276	Emergencybox	On-Off / Trailing edge / EM Self test, EM 3h
5703821177344	Emergencybox Driver	DALI / EM 3 hours DALI