

CircLED Bollard



Design: Christian Hvidt. . Attractive, vandal-resistant LED bollard designed for use in public places, parks, paths, etc. CircLED combines energy saving with indirect light distribution, which gives comfortable and pleasant lighting without light pollution. IK10, IP65, KL II. Design: Christian Hvidt

CircLED Bollard



Produkt- und Umgebungsbilder



Artikel	Schutzklasse	Controller	Montage/Anschluss	Grösse
 8246087067 CircLED Poller Schwarz Soft 740lm 3000K Ra 98 Nicht dimmbar 16W LED 46 lm/W SDCM:2 L80/B10>100.000 Indirekt,	Klasse II IP65 IK09	Nicht dimmbar	Auf fester Oberfläche oder Erdanker, Outdoor	Ø220 x H900
 8246096032 CircLED Poller Grau Soft 740lm 3000K Ra 98 Nicht dimmbar 16W LED 46 lm/W SDCM:2 L80/B10>100.000 Indirekt,	Klasse II IP65 IK09	Nicht dimmbar	Auf fester Oberfläche oder Erdanker, Outdoor	Ø220 x H900
 8246093857 CircLED Poller Schwarz Soft 770lm 4000K Ra 98 Nicht dimmbar 16W LED 48 lm/W SDCM:2 L80/B10>100.000 Indirekt,	Klasse II IP65 IK09	Nicht dimmbar	Auf fester Oberfläche oder Erdanker, Outdoor	Ø220 x H900
 8246096045 CircLED Poller Grau Soft 770lm 4000K Ra 98 Nicht dimmbar 16W LED 48 lm/W SDCM:2 L80/B10>100.000 Indirekt,	Klasse II IP65 IK09	Nicht dimmbar	Auf fester Oberfläche oder Erdanker, Outdoor	Ø220 x H900
Zubehör				
 8249042067 Erdanker				Ø155 x L248 x W108 x H450
 8249042070 Erdanker für Beton				Ø155 x H450