

Trio Mini



Design: Hallvard Jakobsen. Square wall luminaire for extra protection of diffuser. Made of die-cast powder-coated aluminium. Diffuser made of UV-stabilised opal polycarbonate. Two inputs/outputs for cables, option of both visible and concealed cabling, and loopable quick clips. IP65 and vandal-resistant rating IK10.

Trio Mini



Produkt- und Umgebungsbilder





Artikel		Schutzklasse	Controller	Montage/Anschluss	Grösse
	624522	Klasse I	Phasenabschnitt	Anbau, Indoor / Outdoor	L248 x W150 x H248 x
	Trio Mini Schwarz 460lm 3000K	IP65		Anschlussklemme	D98
	Ra>80 Phasenabschnitt	IK10			
	10W LED				
	46 lm/W SDCM:3				
	L70/B50>50.000				
	Beam: 130°, Direkt, Opal				
	633522	Klasse I	Phasenabschnitt	Anbau, Indoor / Outdoor	L248 x W150 x H248 x
	Trio Mini Graphit 460lm 3000K	IP65		Anschlussklemme	D98
	Ra>80 Phasenabschnitt	IK10			
	10W LED				
	46 lm/W SDCM:3				
	L70/B50>50.000				
	Beam: 130°, Direkt, Opal				