

Rax Eco 180-190




Rax Eco 180-190 is a super-flexible and cost-effective downlight for general lighting in public buildings, offices, corridors, etc. It has integrated switches for 3000K/4000K and for two lumen levels, i.e. four combinations in one product. A matte white reflector provides high efficiency and low glare with UGR

Rax Eco 180-190



Produkt- und Umgebungsbilder



Artikel	Schutzklasse	Controller	Montage/Anschluss	Grösse
 212588 Rax Eco 180-190 Weiss 3000/4000K Ra>80 DALI-2 LED 113/124/110/121lm/W SDCM:3 L80/B20>50.000 Beam: 95°, Direkt, Reflektor	Klasse II IP20	DALI-2	Indoor 5 pol Linect / Anschlussklemme	Ø210 x H93
 212584 Rax Eco 180-190 Weiss 3000/4000K Ra>80 Phasenabschnitt LED 111/116/109/115lm/W SDCM:3 L80/B20>50.000 Beam: 95°, Direkt, Reflektor	Klasse II IP20	Phasenabschnitt	Indoor 3 pol Linect / Anschlussklemme	Ø210 x H93
Zubehör				
 212913 Rax Eco 180-190 Schwarz Glas klar IP44				Ø214 x H12
 212915 Rax Eco 180-190 Schwarz Glas matt IP44				Ø214 x H12
 212912 Rax Eco 180-190 Weiss Glas klar IP44				Ø214 x H12
 212914 Rax Eco 180-190 Weiss Glas matt IP44				Ø214 x H12
 820489 Sensor Dim Box Weiss 200VA				L220 x W75 x H34
 8249038725 Rax 200 Lastverteilplatte				L585 x W260 x H15