

Rax 200



Recessed mounted LED downlight. Made of fire-resistant polycarbonate. SDCM 2. L90/B10>100,000, Supplied with 3000K/4000K LED. Complete with driver and quick connection between driver and downlight for super quick and easy mounting. Can be mounted to ceiling panels with a thickness of 1-50 mm. The luminaire comes complete with ceiling ring RAL9010 gloss 25 made of die-cast aluminium. Matt reflector.



Rax 200



Galerie de produits et d'environnements



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 8246081254  Rax 200 3490lm 3000K Ra>80 Non dimmable 31W LED 113 lm/W SDCM:2 L90/B10>100,000 Beam: 79°, Directe, Réflecteur mat satiné	Classe I IP20	Non dimmable	Encastré, Indoor	Ø223 x L230 x W223 x H107
 8246079648  Rax 200 Blanc 3610lm 4000K Ra>80 Non dimmable 31W LED 116 lm/W SDCM:2 L90/B10>100,000 Directe, Réflecteur mat satiné	Classe I IP20	Non dimmable	Encastré, Indoor	Ø223 x L230 x H107
 8246079651  Rax 200 3610lm 4000K Ra>80 DALI-2 / Push Dim 31W LED 116 lm/W SDCM:2 L90/B10>100,000 Beam: 79°, Directe, Réflecteur mat satiné	Classe I IP20	DALI-2 / Push Dim	Encastré, Indoor	Ø223 x L230 x W223 x H107
Accessoires				
 212618 Rax 200 Noir Rehabring Ø205-250mm				Ø270 x H16
 212619 Rax 200 Noir Rehabring Ø210-280mm				Ø300 x H16
 8249045035 Rax 200 Noir frontalring				L224 x W24 x H10
 8249044696 Rax 200 Blanc Rehabring Ø205-250mm				Ø270 x H16
 8246094429 Boîtier d'éclairage de secours Alim. DALI / EM Self test, DALI Secours 3H				L270 x W75 x H35

Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
	8246094364			L270 x W75 x H35
	Boîtier d'éclairage de secours On-Off/Coupure de phase / EM Self test, Secours 3 heures			
	8246094500			L270 x W75 x H35
	Boîtier d'éclairage de secours Alim. DALI / EM DALI/Self test, Secours 3 heures			
	8249038725			L585 x W260 x H15
	Rax 200 Plaque de montage			
	8249043532 			L265 x W265 x H70
	Rax 200 Colerette de montage			
	8249044476 			L265 x W265 x H70
	Rax 200			

 = Cet article est produit sur commande, avec un délai de livraison prévu de 3-4 semaines.