




# Facet II TW



Facet II is a slim, minimalistic luminaire with white powdercoating. With the direct/indirect light and glare-free optics in PMMA it is perfect for classrooms or open offices where light comfort is very important. The wall bracket (accessory) makes it a perfect choice for blackboard lighting. Plug-and-play solution for quick installation. Tunable White from 2700 Kelvin to 6500 Kelvin white light, controlled by TW LEDDim or Dali Type 8.

## Galerie de produits et d'environnements



| Article                                                                                                                                                                                                                                                                                                                                                                | Protection                                | Convertisseurs        | Montage/Connexion                                                                                  | Dimensions                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-----------------------|----------------------------------------------------------------------------------------------------|---------------------------|
|  <p>8246091817</p> <p><b>Facet II TW 1200 Blanc 4530lm</b></p> <p><b>2700-6500K Ra&gt;80 TW DALI Type 8</b></p> <p><b>39W LED</b></p> <p>116 lm/W SDCM:3</p> <p>L80/B10&gt;100,000, L94&gt;50,000</p> <p>Directe/Indirecte 65/35%, Lentille C, conique à prismes</p>                   | <p><b>Classe I</b></p> <p><b>IP20</b></p> | <p>TW DALI Type 8</p> | <p>Suspendu, Indoor</p> <p>Kit de câble avec boucle M4 2x2 m</p> <p>Cable 5x0,75mm² 2,5m white</p> | <p>L1196 x W112 x H80</p> |
|  <p>8246094542</p> <p><b>Facet II TW 1200 Blanc 4674lm</b></p> <p><b>(@6500K) 2700-6500K Ra&gt;80 TW</b></p> <p><b>LEDDim</b></p> <p><b>38W LED</b></p> <p>123 lm/W SDCM:3</p> <p>L80/B10&gt;100,000, L94&gt;50,000</p> <p>Directe/Indirecte 65/35%, Lentille C, conique à prismes</p> | <p><b>Classe I</b></p> <p><b>IP20</b></p> | <p>TW LEDDim</p>      | <p>Suspendu, Indoor</p> <p>Kit de fil 2x2 m</p> <p>Cable 3x0,75mm² 2,5m w/ Schuko white</p>        | <p>L1196 x W112 x H80</p> |
| <b>Accessoires</b>                                                                                                                                                                                                                                                                                                                                                     |                                           |                       |                                                                                                    |                           |
|  <p>212255</p> <p><b>T-profil Blanc Rail de suspension 600mm</b></p>                                                                                                                                                                                                                 |                                           |                       |                                                                                                    | <p>L596 x W35 x H17</p>   |
|  <p>8249044007</p> <p><b>Facet II Blanc Support mural kit</b></p>                                                                                                                                                                                                                    |                                           |                       |                                                                                                    | <p>L490 x W70 x H70</p>   |
|  <p>8249042724 •</p> <p><b>Ceiling boîte 2x2m Kit suspension</b></p>                                                                                                                                                                                                                 |                                           |                       |                                                                                                    |                           |

• = Cet article est produit sur commande, avec un délai de livraison prévu de 3-4 semaines.