



Junistar Lux Blade




The optimal downlight in the market for indoor use. Leaf springs make them easy to install in concrete ceilings. Junistar Lux IsoSafe Blade emits a balanced, non-flickering light with excellent colour rendering. Its patented, adjustable 30-degree tilt function in all directions is covered by a 10-year warranty. It includes a junction box that provides strain relief for several types of cables, as well as fixation for plastic tubing. Our IsoSafe products can be mounted directly in insulation.

Galerie de produits et d'environnements



Article		Protection	Convertisseurs	Montage/Connexion	Dimensions
	902646 Junistar Lux Blade Noir 580lm 2700K Ra 98 Coupure de phase 8W LED 73 lm/W SDCM:1 L90/B10>100,000 Beam: 42°, Directe, Reflector	Classe II SELV IP44/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø94 x H56
	902645 Junistar Lux Blade Blanc 580lm 2700K Ra 98 Coupure de phase 8W LED 73 lm/W SDCM:1 L90/B10>100,000 Beam: 42°, Directe, Reflector	Classe II SELV IP44/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø94 x H56
	902625 Junistar Lux Blade Noir 590lm 3000K Ra 98 Coupure de phase 8W LED 74 lm/W SDCM:1 L90/B10>100,000 Beam: 42°, Directe, Reflector	Classe II SELV IP44/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø94 x H56
	902624 Junistar Lux Blade Acier brossé 590lm 3000K Ra 98 Coupure de phase 8W LED 74 lm/W SDCM:1 L90/B10>100,000 Beam: 42°, Directe, Reflector	Classe II SELV IP44/IP20	Coupure de phase	Encastré, Indoor Bornier sans vis	Ø94 x H56
	902623 Junistar Lux Blade Blanc 590lm 3000K Ra 98 Coupure de phase 8W LED 74 lm/W SDCM:1 L90/B10>100,000 Beam: 42°, Directe, Reflector	Classe II SELV IP44/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø94 x H56
Accessoires					
	9143 Rehab Ring Noir 133mm for Junistar, Uniled, Soft & Jupiter				Ø133 x L133 x W133 x H4

Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 9236 Rehab Ring Noir 180mm for Junistar, Uniled, Soft & Jupiter				Ø180 x H45
 9973 Rehab Ring Acier brossé 133mm for Junistar, Uniled, Soft & Jupiter				Ø133 x H4
 9233 Rehab Ring Graphite 133mm for Junistar, Uniled, Soft & Jupiter				Ø133 x L133 x W133 x H4
 9234 Rehab Ring Graphite 180mm for Junistar, Uniled, Soft & Jupiter				Ø180 x H45
 9327 Rehab Ring Graphite 250mm for Junistar, Uniled, Soft & Jupiter				Ø250 x H45
 9223 Rehab Ring Blanc 133mm for Junistar, Uniled, Soft & Jupiter				Ø133 x L133 x W133 x H4
 9224 Rehab Ring Blanc 180mm for Junistar, Uniled, Soft & Jupiter				Ø180 x H45
 9227 Rehab Ring Blanc 250mm for Junistar, Uniled, Soft & Jupiter				Ø250 x H45
 820489 Sensor Dim Box Blanc 200VA				L220 x W75 x H34
 8246094429 Boîtier d'éclairage de secours Alimen. DALI / EM Self test, DALI Secours 3H				L270 x W75 x H35
 820090 Boîtier d'éclairage de secours Adapter kit downlight				L250 x W13 x H13
 8246094364 Boîtier d'éclairage de secours On-Off/Coupure de phase / EM Selvtest, Secours 3 heures				L270 x W75 x H35
 8246094500 Boîtier d'éclairage de secours Alim. DALI / EM DALI/Self test, Secours 3 heures				L270 x W75 x H35