

Jupiter Pro



Pro LED downlight for indoor or outdoor mounting. Powerful lumen output via the powerful recessed LED chip. Driver surface-mounted with quick junction box with quick clips for additional looping. Made of die-cast powder-coated aluminium, glass diffuser.

Jupiter Pro



Galerie de produits et d'environnements



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 <p>923988 Jupiter Pro 1500 Graphite 40° 1580lm 3000K Ra>90 Coupure de phase 15W LED 105 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Directe, Reflector</p>	Classe II SELV IP65/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø114 x H112
 <p>940341 Jupiter Pro 2200 Graphite 40° 2070lm 3000K Ra>90 Coupure de phase 22W LED 94 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector</p>	Classe II SELV IP65/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø114 x H112
 <p>940310 Jupiter Pro 2200 Blanc 40° 2230lm 3000K Ra>90 DALI-2 / Push Dim 22W LED 101 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector</p>	Classe II SELV IP65/IP20	DALI-2 / Push Dim	Encastré, Indoor / Outdoor Linect 5 pôles / bornier sans vis	Ø114 x H112
 <p>960310 Jupiter Pro 2200 Blanc 60° 2090lm 3000K Ra>90 DALI-2 / Push Dim 22W LED 95 lm/W SDCM:2 L90/B10>100,000 Beam: 60°, Directe, Reflector</p>	Classe II SELV IP65/IP20	DALI-2 / Push Dim	Encastré, Indoor / Outdoor Linect 5 pôles / bornier sans vis	Ø114 x H112
 <p>912988 Jupiter Pro 1500 Blanc 40° 1590lm 3000K Ra>90 Coupure de phase 15W LED 106 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector</p>	Classe II SELV IP65/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø114 x H112
 <p>940340 Jupiter Pro 2200 Blanc 40° 2230lm 3000K Ra>90 Coupure de phase 22W LED 101 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector</p>	Classe II SELV IP65/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø114 x H112

Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 <p>960300 Jupiter Pro 2200 Blanc 60° 2090lm 3000K Ra>90 Coupure de phase 22W LED 95 lm/W SDCM:2 L90/B10>100,000 Beam: 60°, Directe, Reflector</p>	Classe II SELV IP65/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø114 x H112
 <p>940441 Jupiter Pro 2200 Graphite 40° 2200lm 4000K Ra>90 Coupure de phase 22W LED 100 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector</p>	Classe II SELV IP65/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø114 x H112
 <p>940440 Jupiter Pro 2200 Blanc 40° 2370lm 4000K Ra>90 Coupure de phase 22W LED 108 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector</p>	Classe II SELV IP65/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø114 x H112
Accessoires				
 <p>3827 Rehab Ring Noir 180mm for Exclusive Midi & Jupiter Pro</p>				Ø180
 <p>3828 Rehab Ring Noir 250mm for Exclusive Midi & Jupiter Pro</p>				Ø250
 <p>3819 Rehab Ring Graphite 180mm for Exclusive Midi & Jupiter Pro</p>				Ø180
 <p>3824 Rehab Ring Graphite 250mm for Exclusive Midi & Jupiter Pro</p>				Ø250
 <p>3826 Rehab Ring Exclusive Midi & Jupiter Pro Graphite 300mm</p>				Ø300 x H45
 <p>3815 Rehab Ring Blanc 180mm for Exclusive Midi & Jupiter Pro</p>				Ø180

Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 3823 Rehab Ring Blanc 250mm for Exclusive Midi & Jupiter Pro				Ø250
 3825 Rehab Ring Blanc 300mm for Exclusive Midi & Jupiter Pro				Ø300 x H45
 820307 Batterie pour éclairage de secours 3 Hours 3.0Ah - Model No: B093				L137 x W27 x H27