

Metro



Stylishly clean wall luminaire giving attractive up and down light or just down light. Replaceable light source (included). Made of powder-coated die-cast aluminium with glass diffuser, Option of either visible or concealed connection, and connectors between wall fittings and luminaire.

Galerie de produits et d'environnements



Article		Protection	Convertisseurs	Montage/Connexion	Dimensions
	624697 Metro Noir 330lm 3000K Ra>80 Coupure de phase 6.2W LED 53 lm/W SDCM:4 L70/B50>25,000 Beam: 35°, Directe, Verre transparent	Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H120 x D147
	624698 Metro 2x6,2W Noir 660lm 3000K Ra>80 Coupure de phase 12.4W LED 53 lm/W SDCM:4 L70/B50>25,000 Beam: 35°/35°, Directe, Verre transparent	Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H215 x D147
	624699 Metro Noir Plafond 330lm 3000K Ra>80 Coupure de phase 6.2W LED 53 lm/W SDCM:4 L70/B50>25,000 Beam: 35°, Directe, Verre transparent	Classe I IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	Ø90 x H120
	633697 Metro Graphite 330lm 3000K Ra>80 Coupure de phase 6.2W LED 53 lm/W SDCM:4 L70/B50>25,000 Beam: 35°, Directe, Verre transparent	Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H120 x D147
	633698 Metro 2x6,2W Graphite 660lm 3000K Ra>80 Coupure de phase 12.4W LED 53 lm/W SDCM:4 L70/B50>25,000 Beam: 35°/35°, Directe, Verre transparent	Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H215 x D147
	633699 Metro Graphite Plafond 330lm 3000K Ra>80 Coupure de phase 6.2W LED 53 lm/W SDCM:4	Classe I IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	Ø90 x H120

Article	L70/B50>25,000	Protection	Convertisseurs	Montage/Connexion	Dimensions
	Beam: 35°, Directe, Verre transparent 621697 Metro Blanc 330lm 3000K Ra>80 Coupure de phase 6.2W LED 53 lm/W SDCM:4 L70/B50>25,000 Beam: 35°, Directe, Verre transparent	Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H120 x D147
		Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H215 x D147
	621698 Metro 2x6,2W Blanc 660lm 3000K Ra>80 Coupure de phase 12.4W LED 53 lm/W SDCM:4 L70/B50>25,000 Beam: 35°/35°, Directe, Verre transparent	Classe I IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	Ø90 x H120
		Classe I IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	Ø90 x H120
	621699 Metro Blanc Plafond 330lm 3000K Ra>80 Coupure de phase 6.2W LED 53 lm/W SDCM:4 L70/B50>25,000 Beam: 35°, Directe, Verre transparent	Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H120 x D147
		Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H120 x D147
	614690 Metro 1x35W Noir Coupure de phase 35W LED Beam: 35°, Directe, Verre transparent	Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H120 x D147
		Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H215 x D147
	614692 Metro 2x35W Noir Coupure de phase 70W LED Beam: 35°/35°, Directe, Verre transparent	Classe I IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	Ø90 x H120
		Classe I IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	Ø90 x H120

Article		Protection	Convertisseurs	Montage/Connexion	Dimensions
	623690 Metro 1x35W Graphite Coupure de phase 35W LED Beam: 35°, Directe, Verre transparent	Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H120 x D147
	623692 Metro 2x35W Graphite Coupure de phase 70W LED Beam: 35°/35°, Directe, Verre transparent	Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H215 x D147
	623695 Metro 1x35W Graphite Plafond Coupure de phase 35W LED Beam: 35°, Directe, Verre transparent	Classe I IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	Ø90 x H120
	611690 Metro 1x35W Blanc Coupure de phase 35W LED Beam: 35°, Directe, Verre transparent	Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H120 x D147
	611692 Metro 2x35W Blanc Coupure de phase 70W LED Beam: 35°/35°, Directe, Verre transparent	Classe II IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	W90 x H215 x D147
	611695 Metro 1x35W Blanc Plafond Coupure de phase 35W LED Beam: 35°, Directe, Verre transparent	Classe I IP65 IK07	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	Ø90 x H120
Accessoires					
	614207 Echo Noir Support d'angle				W80 x H101 x D50



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 623207 Eco Graphite Support d'angle				W80 x H101 x D50
 611207 Eco Blanc Support d'angle				W80 x H101 x D50