

Rax Eco 200



Rax Eco 200 is a super flexible and cost-effective downlight for general lighting in public buildings, offices, corridors etc. It has integrated switches for 3000K/4000K and for 2 lumen levels, means 4 combinations in one product. Matt white reflector providing high efficiency and low glare with UGR

Rax Eco 200




Galerie de produits et d'environnements



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 212587 Rax ECO 200 Blanc 3000/4000K Ra>80 DALI-2 LED 117/123/111/118lm/W SDCM:3 L80/B20>50,000 Beam: 95°, Directe, Reflector	Classe II IP20	DALI-2	Indoor Linect 5 pôles / bornier sans vis	Ø216 x H93
 212569 Rax ECO 200 Blanc 3000/4000K Ra>80 Coupure de phase LED 108/115/96/103lm/W SDCM:3 L80/B20>50,000 Beam: 95°, Directe, Reflector	Classe II IP20	Coupure de phase	Indoor Linect 3 pôles / bornier sans vis	Ø216 x H93
Accessoires				
 212618 Rax 200 Noir Rehabring Ø205-250mm				Ø270 x H16
 212619 Rax 200 Noir Rehabring Ø210-280mm				Ø300 x H16
 212625 Rax 200 Noir Verre transparent IP44				Ø218 x H12
 212627 Rax 200 Noir Verre dépoli IP44				Ø220 x H12
 212624 Rax 200 Blanc Verre transparent IP44				Ø218 x H12
 212626 Rax 200 Blanc Verre dépoli IP44				Ø218 x H12
 212628 Rax 200 Blanc Rehabring Ø210-280mm				Ø300 x H16
 820489 Sensor Dim Box Blanc 200VA				L220 x W75 x H34



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 8249044696 Rax 200 Blanc Rehabring Ø205-250mm				Ø270 x H16
 8249038725 Rax 200 Plaque de montage				L585 x W260 x H15