



LED spot for three-phase rail system. Fitted with global adapter and compatible with all systems that work with this. Powerful LED chip and integrated driver gives this spot a minimalistic and exclusive look. Luminaire body made of powder-coated aluminium, 50-degree reflector that can be replaced with 17 or 32-degree reflector. A long service life, fantastic colour retention and large lumen package make Vision the ideal choice for shops and exhibitions.

Galerie de produits et d'environnements



Article		Protection	Convertisseurs	Montage/Connexion	Dimensions
	314483	Classe I	Non dimmable	Surface, Indoor	L223 x W110 x H238
	Vision Noir 2820lm 4000K Ra>90	IP20			
	Non dimmable				
	30W LED				
	94 lm/W SDCM:2 L80/B20>50,000 Directe,				
	312483	Classe I	Non dimmable	Surface, Indoor	L223 x W110 x H238
	Vision Blanc 2820lm 4000K Ra>90	IP20			
	Non dimmable				
	30W LED				
	94 lm/W SDCM:2 L80/B20>50,000 Directe,				
Accessoires					
	300470				L75 x W75 x H55
	Tube(Eco)/Aneto 17° Réflecteur				
	300471				L75 x W75 x H55
	Tube(Eco)/Aneto 32° Réflecteur				
	300472				L75 x W75 x H55
	Tube(Eco)/Aneto 50° Réflecteur				