

# Zip Pro 3-Circuit





Three-phase rail spot with integrated powerful LED chip and driver. Driver can switch between three brightness levels using a jumper terminal. Mounted using global multi-adapter, which is ideal for SG's three-phase rail system (Shopline) as well as other systems where Global can be used. ZIP is made of powder-coated aluminium, flexible and able to be pointed in almost all directions, making it the obvious choice for shops and exhibitions.

# Zip Pro 3-Circuit



## Galerie de produits et d'environnements



| Article                                                                             |                                                                                                                                                                                     | Protection                     | Convertisseurs | Montage/Connexion                                    | Dimensions                   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|----------------|------------------------------------------------------|------------------------------|
|    | 320736<br><b>Zip Pro 3-Allumages Noir 40°</b><br><b>3370lm 3000K Ra&gt;90 Non dimmable</b><br><b>40W LED</b><br>84 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Directe, Reflector  | <b>Classe I</b><br><b>IP20</b> | Non dimmable   | Surface, Indoor<br>Rail ShopLine (adaptateur inclus) | Ø100 x L218 x W100 x<br>H148 |
|    | 320734<br><b>Zip Pro 3-Allumages Blanc 40°</b><br><b>3470lm 3000K Ra&gt;90 Non dimmable</b><br><b>40W LED</b><br>87 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Directe, Reflector | <b>Classe I</b><br><b>IP20</b> | Non dimmable   | Surface, Indoor<br>Rail ShopLine (adaptateur inclus) | Ø100 x L218 x W100 x<br>H148 |
|   | 320737<br><b>Zip Pro 3-Allumages Noir 40°</b><br><b>3610lm 4000K Ra&gt;90 Non dimmable</b><br><b>40W LED</b><br>90 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Directe, Reflector  | <b>Classe I</b><br><b>IP20</b> | Non dimmable   | Surface, Indoor<br>Rail ShopLine (adaptateur inclus) | Ø100 x L218 x W100 x<br>H148 |
|  | 320735<br><b>Zip Pro 3-Allumages Blanc 40°</b><br><b>3710lm 4000K Ra&gt;90 Non dimmable</b><br><b>40W LED</b><br>93 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Directe, Reflector | <b>Classe I</b><br><b>IP20</b> | Non dimmable   | Surface, Indoor<br>Rail ShopLine (adaptateur inclus) | Ø100 x L218 x W100 x<br>H148 |
| <b>Accessoires</b>                                                                  |                                                                                                                                                                                     |                                |                |                                                      |                              |
|  | 314423<br><b>Shopline Noir Patère-alimentation</b>                                                                                                                                  | <b>Classe I</b><br><b>IP20</b> |                | Surface, Indoor                                      | Ø100                         |
|  | 312423<br><b>Shopline Blanc Patère-alimentation</b>                                                                                                                                 | <b>Classe I</b><br><b>IP20</b> |                | Surface, Indoor                                      | Ø100 x H36                   |