

Frame Mini



Design: Holscher Design. Frame has a modern, stylish design that is great whether it is used indoors or outdoors. It can be mounted on ceilings and walls. Frame is available in round, square and rectangular shapes in different sizes. Made of die-cast, powder-coated aluminium in black, white or graphite. Flat diffuser made of UV-stabilised opal polycarbonate. Easy to install, two inputs/outputs for cables, with the option for either hidden or visible cabling. IP66 and IK10.

Frame Mini



Galerie de produits et d'environnements



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 605451 Frame Mini Noir 550lm 3000K Ra>80 Coupure de phase 6.5W LED 85 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Directe, Opale	Classe II IP66 IK10	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	L240 x W150 x H77
 605461 Frame Mini Graphite 550lm 3000K Ra>80 Coupure de phase 6.5W LED 85 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Directe, Opale	Classe II IP66 IK10	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	L240 x W150 x H77
 605441 Frame Mini Blanc 550lm 3000K Ra>80 Coupure de phase 6.5W LED 85 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Directe, Opale	Classe II IP66 IK10	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	L240 x W150 x H77
 605491 Frame Mini Graphite 570lm 4000K Ra>80 Coupure de phase 6.5W LED 88 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Directe, Opale	Classe II IP66 IK10	Coupure de phase	Surface, Indoor / Outdoor Bornier sans vis	L240 x W150 x H77