

Exclusive Midi



Exclusive Midi is a downlight for indoor and outdoor use with a 60-degree tilt to direct the light to where you need it. Well-suited for slanted ceilings and as shop lighting. Made of die-cast powder-coated aluminium. Dimmable with phase control dimmer or DALI. Tool-free installation and possibility for looping. Replaces 35W Metal Halogen

Exclusive Midi



Galerie de produits et d'environnements



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 902629 Exclusive Midi Noir 2610lm 3000K Ra>90 DALI-2 / Push Dim 26W LED 100 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector	Classe II IP44/IP20	DALI-2 / Push Dim	Encastré, Indoor / Outdoor Linect 5 pôles / bornier sans vis	Ø114 x H88
 902628 Exclusive Midi Noir 2610lm 3000K Ra>90 Coupure de phase 26W LED 100 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector	Classe II IP44/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø114
 902627 Exclusive Midi Blanc 2610lm 3000K Ra>90 DALI-2 / Push Dim 26W LED 100 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector	Classe II IP44/IP20	DALI-2 / Push Dim	Encastré, Indoor / Outdoor Linect 5 pôles / bornier sans vis	Ø114 x H88
 902626 Exclusive Midi Blanc 2610lm 3000K Ra>90 Coupure de phase 26W LED 100 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector	Classe II IP44/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø114
 902633 Exclusive Midi Noir 2770lm 4000K Ra>90 DALI-2 / Push Dim 26W LED 107 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector	Classe II IP44/IP20	DALI-2 / Push Dim	Encastré, Indoor / Outdoor Linect 5 pôles / bornier sans vis	Ø114 x H88
 902632 Exclusive Midi Noir 2770lm 4000K Ra>90 Coupure de phase 26W LED 107 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector	Classe II IP44/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø114

Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 902631 Exclusive Midi Blanc 2770lm 4000K Ra>90 DALI-2 / Push Dim 26W LED 107 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector	Classe II IP44/IP20	DALI-2 / Push Dim	Encastré, Indoor / Outdoor Linect 5 pôles / bornier sans vis	Ø114 x H88
 902630 Exclusive Midi Blanc 2770lm 4000K Ra>90 Coupure de phase 26W LED 107 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Reflector	Classe II IP44/IP20	Coupure de phase	Encastré, Indoor / Outdoor Bornier sans vis	Ø114
Accessoires				
 3827 Rehab Ring Noir 180mm for Exclusive Midi & Jupiter Pro				Ø180
 3828 Rehab Ring Noir 250mm for Exclusive Midi & Jupiter Pro				Ø250
 3815 Rehab Ring Blanc 180mm for Exclusive Midi & Jupiter Pro				Ø180
 3823 Rehab Ring Blanc 250mm for Exclusive Midi & Jupiter Pro				Ø250
 3825 Rehab Ring Blanc 300mm for Exclusive Midi & Jupiter Pro				Ø300 x H45
 300474 Réflecteur D20 Exclusive Midi				L70 x W70 x H42
 300475 Réflecteur D60 Exclusive Midi				L70 x W70 x H42