Tube Mini DALI

Tube Mini DALI is a stylish and minimalist spotlight designed for Shopline DALI, but the universal bracket means that it can also be fitted in the most common DALI 3-circuit systems on the market. This model is the smaller version of Tube, with a diameter of 59 mm, which is a more compact model in the product range.Tube Mini DALI comes with a black bezel as standard, with low glare. Other bezels in white and gold are available as accessory. This allows for creative individual designs. The black bezel has low glare, the gold gives a warmer light, and the white reflects the most.

Tube Mini DALI

Galerie de produits et d’environnements



Codes-articles

Article		Protection	Convertisseurs	Montage/Connexion	Dimensions
	320743 **Tube Mini 3-Allumages Noir 880lm 2700K Ra 98 DALI-2 14W LED** 63 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Réflecteur moyen	**Classe I** **IP20**	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	Ø59 x L160 x W59 x H160
	320740 **Tube Mini 3-Allumages Blanc 880lm 2700K Ra 98 DALI-2 14W LED** 63 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Réflecteur moyen	**Classe I** **IP20**	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	Ø59 x L160 x W59 x H160
	320744 **Tube Mini 3-Allumages Noir 900lm 3000K Ra 98 DALI-2 14W LED** 64 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Réflecteur moyen	**Classe I** **IP20**	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	Ø59 x L160 x W59 x H160
	320741 **Tube Mini 3-Allumages Blanc 900lm 3000K Ra 98 DALI-2 14W LED** 64 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Réflecteur moyen	**Classe I** **IP20**	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	Ø59 x L160 x W59 x H160
	320745 **Tube Mini 3-Allumages Noir 940lm 4000K Ra 98 DALI-2 14W LED** 67 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Réflecteur moyen	**Classe I** **IP20**	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	Ø59 x L160 x W59 x H160
	320742 **Tube Mini 3-Allumages Blanc 940lm 4000K Ra 98 DALI-2 14W LED** 67 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Directe, Réflecteur moyen	**Classe I** **IP20**	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	Ø59 x L160 x W59 x H160
Accessoires					

Codes-articles

Article		Protection	Convertisseurs	Montage/Connexion	Dimensions
	312531 **Shopline DALI Noir Patére-alimentation**	**Classe I** **IP20**		Surface, Indoor	Ø143 x H35
	312530 **Shopline DALI Blanc Patére-alimentation**	**Classe I** **IP20**		Surface, Indoor	Ø143 x H35