


Arlon Round




Arlon Round is a slim, stylish wall luminaire with retracted, slightly angled light source. Suitable for spaces such as walkways and corridors. Highly efficient with high lumens per Watt. Can be dimmed using trailing edge dimming or DALI dimmer (DALI upon request). Easy installation with back plate for mounting, two cable inputs and a quick connector. Made from high quality die-cast, powder-coated aluminium. Arlon Round can also be mounted on bollards.

Arlon Round



Galerie de produits et d'environnements



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 653600 Arlon Round Noir 790lm 2700K Ra>80 Coupure de phase 10W LED 79 lm/W SDCM:3 L80/B20>100,000 Directe, Diffuseur	Classe II IP65 IK10	Coupure de phase	Mur, Outdoor Bornier sans vis	L269 x W266 x H47
 653617 Arlon Round Corten 810lm 2700K Ra>80 Coupure de phase 10W LED 81 lm/W SDCM:3 L80/B20>100,000 Directe, Diffuseur	Classe II IP65 IK10	Coupure de phase	Mur, Outdoor Bornier sans vis	L269 x W266 x H47
 653602 Arlon Round Blanc 1050lm 2700K Ra>80 Coupure de phase 10W LED 105 lm/W SDCM:3 L80/B20>100,000 Directe, Diffuseur	Classe II IP65 IK10	Coupure de phase	Mur, Outdoor Bornier sans vis	L269 x W266 x H47
 653601 Arlon Round Noir 840lm 3000K Ra>80 Coupure de phase 10W LED 84 lm/W SDCM:3 L80/B20>100,000 Directe, Diffuseur	Classe II IP65 IK10	Coupure de phase	Mur, Outdoor Bornier sans vis	L269 x W266 x H47
 653618 Arlon Round Corten 860lm 3000K Ra>80 Coupure de phase 10W LED 86 lm/W SDCM:3 L80/B20>100,000 Directe, Diffuseur	Classe II IP65 IK10	Coupure de phase	Mur, Outdoor Bornier sans vis	L269 x W266 x H47
 653603 Arlon Round Blanc 1120lm 3000K Ra>80 Coupure de phase 10W LED 112 lm/W SDCM:3 L80/B20>100,000 Directe, Diffuseur	Classe II IP65 IK10	Coupure de phase	Mur, Outdoor Bornier sans vis	L269 x W266 x H47

Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 653623 Arlon Round Noir 890lm 4000K Ra>80 Coupure de phase 10W LED 89 lm/W SDCM:3 L80/B20>100,000 Directe, Diffuseur	Classe II IP65 IK10	Coupure de phase	Mur, Outdoor Bornier sans vis	L269 x W266 x H47
Accessoires				
 614580 Bollard Solo, Tanto, Uno, Primo et Arlond Round Noir				L1000 x W290 x H220
 653616 Arlon Round Noir Support de Borne				L248 x W175 x H15
 600580 Bollard Solo, Tanto, Uno, Primo et Arlond Round Set d'ancrage				W330 x H524 x D260