



Fenes Maxi is a minimalist LED luminaire that combines modern design with the latest in LED technology to deliver optimal performance and energy efficiency. It is an excellent choice for replacing old 125W HQL and 70W NAV fixtures, making it easy to upgrade to LED technology without the need to replace existing poles – a smart and cost-effective solution for outdoor areas such as parks, access roads, large parking lots, and other public spaces. The luminaire is designed for flexibility, featuring a multi-adapter that fits both poles Ø60mm and side arm Ø42/48mm, and can be adjusted in steps of 5°, ensuring the perfect light angle every time. Choose from various dimming and control techniques to tailor the lighting to different needs. Fenes Maxi is made of powder-coated, die-cast aluminum and tempered glass. It is delivered complete with an 8 meter cable for easy installation and is built to withstand ambient temperatures as low as -40°C.

Galerie de produits et d'environnements



Codes-articles



Article		Protection	Convertisseurs	Montage/Connexion	Dimensions
	212776	Classe II	DALI-2	Pôle - Latéral / haut de poteau (Ø42-48/Ø60), Outdoor	L432 x W188 x H145
Fenes Maxi Linse 2 Gris 6350lm 3000K Ra>70 DALI-2 43W LED		IP66		Cable 4x1.0mm ² 8m, H05RN-F	
148 lm/W SDCM:3 L80/B20>100,000 Directe, PMMA, Polyméthacrylate de méthyle		IK08			
	212775	Classe II	Non dimmable	Pôle - Latéral / haut de poteau (Ø42-48/Ø60), Outdoor	L432 x W188 x H145
Fenes Maxi Linse 2 Gris 6350lm 3000K Ra>70 Non dimmable 43W LED		IP66		Cable 2x1.0mm ² 8m, H05RN-F	
148 lm/W SDCM:3 L80/B20>100,000 Directe, PMMA, Polyméthacrylate de méthyle		IK08			
Accessoires					
	623268				Ø60 x L130 x W127 x H154
Fenes/Fenes Maxi Gris Support d'angle					
	623269				Ø60 x L130 x W110 x H92
Fenes/Fenes Maxi Gris Support mural					