

# Inspire 300 3-Circuit



Compact size, powerful LED chips with excellent color rendering and high lumen output, and tiltable housing makes Inspire 300 3-Circuit a great choice for shops and exhibitions. The cubic black reflectors provide very low glare. Inspire 300 3-Circuit is a wallwasher designed for ShopLine three-phase track systems but can also be used with other track systems compatible with Global adapters. The driver is integrated into the track adapter and includes dip switches, allowing you to set the light to maximum brightness (standard) or UGR

# Inspire 300 3-Circuit



## Galerie de produits et d'environnements



| Article                                                                                                                                                                                                                                                                                                         | Protection                                 | Convertisseurs | Montage/Connexion                                               | Dimensions       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|----------------|-----------------------------------------------------------------|------------------|
|  <p>212464</p> <p><b>Inspire 300 3-Allumages Noir</b></p> <p><b>3480lm 3000K Ra&gt;90 Non dimmable</b></p> <p><b>34W LED</b></p> <p>102 lm/W SDCM:3</p> <p>L70/B10&gt;100,000, L80/B10&gt;70,000</p> <p>Cubic Optic Noir</p>    | <p><b>Classe II</b></p> <p><b>IP20</b></p> | Non dimmable   | <p>Surface, Indoor</p> <p>Rail ShopLine (adaptateur inclus)</p> | L285 x W82 x H75 |
|  <p>212460</p> <p><b>Inspire 300 3-Allumages Blanc</b></p> <p><b>3480lm 3000K Ra&gt;90 Non dimmable</b></p> <p><b>34W LED</b></p> <p>102 lm/W SDCM:3</p> <p>L70/B10&gt;100,000, L80/B10&gt;70,000</p> <p>Cubic Optic Noir</p>   | <p><b>Classe II</b></p> <p><b>IP20</b></p> | Non dimmable   | <p>Surface, Indoor</p> <p>Rail ShopLine (adaptateur inclus)</p> | L285 x W82 x H75 |
|  <p>212466</p> <p><b>Inspire 300 3-Allumages Noir</b></p> <p><b>3500lm 4000K Ra&gt;90 Non dimmable</b></p> <p><b>34W LED</b></p> <p>103 lm/W SDCM:3</p> <p>L70/B10&gt;100,000, L80/B10&gt;70,000</p> <p>Cubic Optic Noir</p>   | <p><b>Classe II</b></p> <p><b>IP20</b></p> | Non dimmable   | <p>Surface, Indoor</p> <p>Rail ShopLine (adaptateur inclus)</p> | L285 x W82 x H75 |
|  <p>212462</p> <p><b>Inspire 300 3-Allumages Blanc</b></p> <p><b>3500lm 4000K Ra&gt;90 Non dimmable</b></p> <p><b>34W LED</b></p> <p>103 lm/W SDCM:3</p> <p>L70/B10&gt;100,000, L80/B10&gt;70,000</p> <p>Cubic Optic Noir</p> | <p><b>Classe II</b></p> <p><b>IP20</b></p> | Non dimmable   | <p>Surface, Indoor</p> <p>Rail ShopLine (adaptateur inclus)</p> | L285 x W82 x H75 |